

**Standard Procurement Document
Request For Proposal (RFP)
For Selection of Agency for Supplying of Pradhan Mantri VishwaKarma Yojana Tool Kits**



BID NO: RFP/GP/2023/026

Department- Government Programs

Important Dates:

Date of Commencement of RFP	10-Oct-2023
Pre-Bid Meeting. Virtual via MS Teams. (Click Here)	16-Oct-2023 at 02:30 pm
Last Date and Time of Submission of Bid	27-Oct-2023 till 04:00 pm
Submission of Proposals	https://nsdc.eproc.in/ (please refer Annexure-4)

INSTRUCTION TO BIDDERS ("ITB")

A. GENERAL PROVISIONS

1. Definitions

- 1.1. **"Affiliate(s)"** means an individual or an entity that directly or indirectly controls, is controlled by, or is under common control with the Bidder;
- 1.2. **"Applicable Laws"** means any statute or the laws, regulation, rule, notification, rule of common law, judgment, order, decree, bye-law, clearance from any government authority and any other instruments having the force of law in India;
- 1.3. **"Agreement" or "Contract"** means the legally binding written Agreement signed between the Client and the Service Provider;
- 1.4. **"Client" or "NSDC"** means National Skill Development Corporation;
- 1.5. **"Bid"** (including the term 'tender', 'offer', 'quotation' or 'proposal' in certain contexts) means an offer to supply goods, services, or execution of works made in accordance with the terms and conditions set out in this RFP;
- 1.6. **"Bidder"** means a legally established entity, firm, company, or any proprietors that may be submitting the Proposal in response to the RFP to the Client;
- 1.7. **"Contractor or "Service Provider" or "Supplier"** means the successful/selected Bidder to whom the NSDC places the purchase order for the supply of the items;
- 1.8. **"Day"** means a calendar day;
- 1.9. **"Experts"** means, collectively, Key Experts, Non-Key Experts, or any other personnel of the Bidder, Sub-Bidder, or Joint Venture member(s).
- 1.10. **"Government"** means the government of India;
- 1.11. **"GeM"** means the Government e-Marketplace portal;
- 1.12. **"in writing"** means communicated in written form (e.g. by mail, e-mail, including, if distributed or received through the electronic-procurement system used by the Client with proof of receipt);
- 1.13. **"Joint Venture (JV) or Consortium"** means an association, with or without a legal personality distinct from that of its members, of more than one Bidder where one member has the authority to conduct all business for and on behalf of any and all the members of the JV, and where the members of the JV or Consortium are jointly and severally liable to the Client for the performance of the Contract.
- 1.14. **"Key Expert(s)"** means an individual professional whose skills, qualifications, knowledge and experience are critical to the performance of the Services under the Contract and whose CV is taken into account in the technical evaluation of the Bidder's proposal;
- 1.15. **"Non-Key Expert(s)"** means an individual professional provided by the Bidder or its Sub-Bidder and who is assigned to perform the Services or any part thereof under the Contract and whose curriculum vitae is not evaluated individually;
- 1.16. **"Proposal"** means the Technical Proposal and the Financial Proposal submitted by the Bidder as per the formats prescribed in the RFP;
- 1.17. **"Request for Proposal" or "RFP"** means the Request for Proposals to be prepared by the Client for the selection of Bidders, based on the SPD – RFP;
- 1.18. **"SPD - RFP"** means the Standard Procurement Document - Request for Proposals, which must be used by the Client as the basis for the preparation of the RFP;
- 1.19. **"Services"** means the means services allied and incidental to the supply of Kits, by the Contractor pursuant to the Contract;
- 1.20. **"Sub-Bidder"** means

Services while the Bidder remains responsible to the Client during the whole performance of the Contract;

- 1.21. **“Performance Security”** means a monetary or financial guarantee to be furnished by the Contractor for due performance of the contract placed on it.
- 1.22. **“Terms of Reference (TORs)”** means the Terms of Reference that explains the objectives, the scope of work, activities, and tasks to be performed, respective responsibilities of the Client and the Bidder, and expected results and deliverables of the assignment.

2. INTRODUCTION

- 2.1. This RFP is floated to invite the offers/Bids from the interested vendors for supplying PMV tool Kits with packaging to the training centers in accordance with this RFP.
- 2.2. The Bidders are invited to submit a Proposal against this RFP. The Proposal will be the basis for negotiating and ultimately signing the Contract with the selected Bidder.
- 2.3. The Bidders should familiarize themselves with the local conditions and take them into account in preparing their Proposals.
- 2.4. The Client will timely provide, at no cost to the Bidders, the inputs, relevant project data, and reports required for the preparation of the Bidder's Proposal.
- 2.5. The information contained in this document or information provided subsequently to the Bidder(s) whether verbally or in documentary form by or on behalf of NSDC, is on the terms and conditions set out in this document and all other terms and conditions subject to which such information is provided. This document is not an agreement and is not an offer or invitation by NSDC to any parties other than the bidder(s) who are qualified to submit the bids (hereinafter individually and collectively referred to as —Bidder or—Bidders respectively). The purpose of this document is to provide the Bidders with information to assist in the formulation of their proposals. This document does not claim to contain all the information each Bidder requires. Each Bidder may conduct its own independent investigations and analysis and is free to check the accuracy, reliability, and completeness of the information in this document. NSDC makes no representation or warranty and shall incur no liability under any law, statute, rule, or regulations as to the accuracy, reliability, or completeness of this document. The information contained in the document is selective and is subject to updating, expansion, revision, and amendment.
- 2.6. NSDC reserves the right to change, modify, reject, add to, or alter any or all the provisions of the RFP document and/or the bidding process, without assigning any reasons whatsoever.
- 2.7. NSDC in its absolute discretion, but without being under any obligation to do so, update, amend, or supplement the information in this document. NSDC reserves the right to reject any or all proposals received in response to this document at any stage without assigning any reason whatsoever. The decision of NSDC shall be final, conclusive, and binding on all the parties.

3. CONFLICT OF INTEREST

- 3.1. The Bidder is required to hold the NSDC's interests paramount and strictly avoid conflict of interest with the Client in respect of other assignments or its own corporate interests and act without any consideration for future work.
- 3.2. The Bidder has an obligation to disclose to the Client any situation of actual or potential conflict that impacts its capacity to serve the best interests of its client. Failure to disclose such situations may lead to the disqualification of the Bidder or the termination of its Contract and/or sanctions by NSDC.
- 3.3. Without limitation on the generality of the foregoing, the Bidder shall not be hired under the circumstances set forth in this RFP.

- 3.3.1. Conflicting assignments or conflict among consulting assignments: a Bidder (including its Experts and Sub-Bidders) or any of its Affiliates shall not be hired for any assignment that, by its nature, may be in conflict with another assignment of the Bidder for the same or for another Client; and
- 3.3.2. Conflicting relationship with the Client's staff: a Bidder (including its Experts and Sub-Bidders) that has a close business or family relationship with a professional staff of NSDC who are directly or indirectly involved in any part of (i) the preparation of the Terms of Reference for the assignment, (ii) the selection process for the Contract, or (iii) the supervision of the Contract, may not be awarded a Contract unless the conflict stemming from this relationship has been resolved in a manner acceptable to NSDC throughout the selection process and the execution of the Contract.

4. CORRUPT AND FRAUDULENT PRACTICES

The Client requires compliance with its policy regarding corrupt and fraudulent practices as set forth in Schedule -III of the draft contract. In further pursuance of this policy, Bidders shall permit and shall cause their agents, Experts, Sub-Bidders, sub-contractors, services providers, or suppliers to permit NSDC to inspect all accounts, records, and other documents relating to the submission of the Proposal and contract performance (in case of an award), and to have them audited by auditors appointed by NSDC.

5. ELIGIBILITY CRITERIA:

SN	Eligibility Criteria	Documents/ Copies to be submitted
5.1.	The Bidder shall be a Company, Partnership firm, or Proprietorship and must be a Registered legal entity in India, in existence from last at least 5 years from the date of publishing of the RFP.	<ul style="list-style-type: none"> • Certificate of Incorporation • Registration for GST • PAN
5.2.	The Bidder should have supplied similar kits or similar items at least in one state of India.	supporting documents/declaration on letter head
5.3.	The bidder should have average annual turnover of Rs 5 Cr in the last three financial years (2019-2020, 2020-2021, 2021-22).	Enclosed the CA Certificates with UDIN.
5.4.	The bidder should have at least 1 supply order for supply of Tool Kits/ Similar Items to any Govt. Department/ Organization in last five years (ending on 31.03.2023) having supply order value of minimum 50 Lakhs or more.	Enclosed the documentary proof, such as supply order, agreement or purchaser's letter.
5.5.	The interested agency must upload literature/ catalogue/ booklet of the proposed items mentioning make and model of item with item specification as per Annexure-3.	Any proposal with any downward deviation in any item specification will be summarily rejected.
5.6.	Bidder and should have never been involved in any illegal activity or financial frauds. The Bidder and its affiliates should not have been blacklisted by any Government Agency/Public Sector	Should submit an undertaking on its letterhead duly signed by the authorized representative.
5.7.	Undertaking/	submit an undertaking on its

	Government/ Reputed Corporates for breach of Applicable Laws or violation of regulatory provisions or breach of agreement	letterhead duly signed by the authorized representative.
5.8.	Mandatory requirements: All requirements mentioned in the Terms of Reference and Scope of Work must be mandatory and complied with. If Bidder is not able to provide services according to TOR and SOW, they will be disqualified	Should submit an undertaking on its letterhead duly signed by the authorized representative.

***Kits for the purpose of this tender would include the following item/items as mentioned in the Annexure -3.**

Note: Please submit required certificates/documents in support of the above against each of the eligibility criteria for consideration in the Tender.

6. DURATION OF ASSIGNMENT

The total duration of the assignment will be as mentioned in the SoW from the date of signing of the Contract by the NSDC and the Contractor. However, the quality of Service provided by the Contractor and the performance of the Contractor shall be reviewed continuously and in case the performance is found unsatisfactory, the Contractor's contract can be terminated at NSDC's discretion. If the performance is found satisfactory then the Contract may be extended for a further duration based on mutual consent of the parties. In case there is a requirement for more Bidders for any reason, NSDC may procure similar Services from more Bidders for similar purposes.

B. PREPARATION OF PROPOSALS

7. GENERAL CONSIDERATIONS

In preparing the Proposal, the Bidder is expected to examine the RFP in detail. Material deficiencies in providing the information requested in the RFP may result in the rejection of the Proposal.

8. COST OF PREPARATION OF PROPOSAL

The Bidder shall bear all costs associated with the preparation and submission of its Proposal, and the Client shall not be responsible or liable for those costs, regardless of the conduct or outcome of the selection process. The Client is not bound to accept any Proposal and reserves the right to annul the selection process at any time prior to selection, without thereby incurring any liability to the Bidder.

9. LANGUAGE

The Proposal, as well as all correspondence and documents relating to the Proposal, exchanged between the Bidder and the Client, shall be written in 'English'.

10. DOCUMENTS COMPRISING THE PROPOSAL

The Proposal shall comprise the documents and forms listed in Annexure 1.

11. ONLY ONE PROPOSAL

The Bidder shall submit only one proposal

proposal, all such proposals shall be disqualified and rejected.

12. PROPOSAL VALIDITY

The Bidder's Proposal must remain valid up to 180 days after the Proposal submission deadline. During this period, the Bidder shall maintain its original Proposal without any change, including their availability. If it is established that any Bidder was not available at the time of Proposal submission or was included in the Proposal without his/her confirmation, such Proposal shall be disqualified and rejected for further evaluation.

13. EXTENSION OF VALIDITY PERIOD

- 13.1. The Client will make its best effort to complete the negotiations within the Proposal's validity period. However, if required by the Client the Proposals' validity will be automatically extended by 180 days more and the Bidder shall confirm such extension.
- 13.2. Extension of validity of the Proposals shall be made without any change in the original Proposal and with the confirmation of the availability of the staff.

14. PROPOSAL SECURITY: Not required.

15. SUB-CONTRACTING

The Bidder may subcontract some or the whole of the Services with the prior approval of NSDC. However, in the case of Joint Venture or Consortium formed the lead member should be held liable for the performance of the Services.

16. CLARIFICATION AND AMENDMENT OF RFP

- 16.1. The Bidder may request a clarification of any part of the RFP till 7 days prior to last date of submission. Any request for clarification must be sent in writing, by email to the Client's email address: procurement@nsdcindia.org. The Client may respond in writing, by email, or may upload responses (including an explanation of the query but without identifying its source) to all Bidders. If the Client deems it necessary to amend the RFP due to a clarification, it shall do so by following the procedure described below:
 - 16.1.1. at any time before the Proposal submission deadline, the Client may amend the RFP by issuing an amendment in writing or by standard electronic means. The amendment shall be shared with the Bidders;
 - 16.1.2. if the amendment is substantial, or there is technical issue in the submission of bids, the Client may extend the proposal submission deadline to give the Bidders reasonable time to take an amendment into account in their Proposals; and
 - 16.1.3. the Bidder may submit a modified Proposal or a modification to any part of it at any time prior to the proposal submission deadline. No modifications to the Proposal shall be accepted after the deadline.

17. TECHNICAL PROPOSAL AND FINANCIAL PROPOSAL FORMAT AND CONTENT

- 17.1.1. The Technical Proposal shall be prepared using the format provided in Annexure 1 of the RFP.
- 17.1.2. The Financial Proposal shall be prepared using the format provided in Form Fin 1 of the RFP. It shall list all costs associated with the assignment.
- 17.1.3. The Technical Proposals and Financial Proposals shall be filled up and shared as separate proposals. The responsibility for meeting any

and all tax obligations stemming from the Contract. The pricing for the Bidder's Services should be denominated in INR only.

C. SUBMISSION, OPENING, AND EVALUATION

18. SUBMISSION OF PROPOSALS

- 18.1. An authorized representative of the Bidder shall sign the original submission letters in the required format for Technical Proposal and shall initial all pages. The authorization shall be in the form of a written power of attorney or board resolution attached to the Technical Proposal.
- 18.2. Any modifications, revisions, interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Proposal.

19. CONFIDENTIALITY

- 19.1. From the time the Proposals are opened to the time the Contract is awarded, the Bidder should not contact the Client on any matter related to its Technical Proposal.
- 19.2. Information relating to the evaluation of Proposals and award recommendations shall not be disclosed to the Bidders who submitted the Proposals or to any other party not officially concerned with the process, until the selection.
- 19.3. Any attempt by Bidders or anyone on behalf of the Bidder to influence improperly the Client in the evaluation of the Proposals or selection decisions may result in the rejection of its Proposal.
- 19.4. Notwithstanding the above provisions, from the time of the Proposals' opening to the time of selection, if a Bidder wishes to contact the Client on any matter related to the selection process, it should do so only in writing.
- 19.5. This document is meant for the specific use by the Bidders interested to participate in the current Procurement. This document in its entirety is subject to Copyright Laws. NSDC expects the Bidder or any person acting on behalf of the Bidders to strictly adhere to the instructions given in the document and maintain the confidentiality of information. The Bidders shall be held responsible for any misuse of information contained in the document if such a circumstance is brought to the notice of NSDC. Upon downloading the document, the interested party becomes subject to this Confidentiality Clause.

20. OPENING AND EVALUATION OF TECHNICAL PROPOSALS

- 20.1. The Client's evaluation committee shall conduct the opening of the Technical Proposals.
- 20.2. The Client's evaluation committee shall evaluate the Technical Proposals based on the criteria below:

SN	Parameters	Max Score
20.2.1.	Existence of the firm <ul style="list-style-type: none"> • 5 years to 8 years - 10 marks • 8 years to 15 years – 15 marks • More than 15 years – 20 Marks 	20
20.2.2.	Organization's Finance capabilities Bidder having average annual turnover in the last 3 financial years ending with 31/03/2022. <ul style="list-style-type: none"> ▪ More than 5 Crores - 10 Marks ▪ More than 10 Crores - 15 Marks ▪ More than 15 Crores - 20 Marks 	20

SN	Parameters	Max Score
	<ul style="list-style-type: none"> More than 10 Cr but less than 15 Cr - 15 Marks More than 15 Cr- 20 marks 	
20.2.3.	<p>The bidder having at least one supply order for supply of tools / Similar Items to any Govt. Department/ Organization with minimum order value:</p> <ul style="list-style-type: none"> More than 50 Lakhs but less than 1 Cr - 10 marks More than 1 Cr but less than 3 Crore – 20 Marks More than 3 Crore= 30 marks 	30
20.2.4.	<p>The Bidder must have supplied kits in India. For kits supplied in 1-5 States and Union Territories (UTs)- 5 marks More than 5 states and UTs- 10 Marks</p>	10
20.2.5.	Literature / catalogue/ booklets of the proposed item as per Annexure-3	20

**Kits for the purpose of this Tender would include the items proposed in the Annexure-3 of SoW*

Proposal obtaining 70 or more marks in technical evaluation will be qualified for a financial proposal opening.

21. EVALUATION OF TECHNICAL AND FINANCIAL PROPOSALS AND FINALIZATION OF FRAMEWORK AGREEMENTS

21.1. Technical Evaluation

- 21.1.1. The Bidder will be evaluated for their technical capabilities as per the format provided above. NSDC may also, for the purpose of evaluation and in its sole discretion, visit and inspect the office/factory and warehouses of one or more Bidders.
- 21.1.2. The Bidder must pass the technical criteria with a minimum of 70 marks to be considered technically qualified.
- 21.1.3. Upon passing the qualification criteria, the Successful Bidders may be called for a presentation, the date for such presentation will be announced after the preliminary evaluation.

21.2. Financial Evaluation

NSDC intends to select an agency for supplying the PMV tool kits with packaging to the designated training Centre(s). Upon qualifying the technical evaluation, the financial evaluation of the successful Bidder shall be considered.

- 21.2.1. The NSDC reserves the right for further inclusion or exclusion subject to performance and business need on future dates.
- 21.2.2. During the Contract execution, if the existing Supplier(s) with whom the Agreement has been signed are not able to perform as per the required quality standards despite NSDC providing enough opportunity for improvement, NSDC may invite the other Suppliers to enter into a Agreement at the price agreed by them during the selection process.

22. E-AUCTION

NSDC may use the e-Auction process for financial opening for this Procurement. Only technically qualified Bidders will receive invitation by our empaneled e -Auction

vendor. All qualified Bidders will have to submit their financial quotes as pre-bid in the E-Auction system and same will be verified by NSDC with the submitted financial quote of agencies. The E-Auction time slot will be informed to qualified Bidders at a later stage.

23. NEGOTIATIONS AND AWARD

- 23.1. The Bidder eligible shall execute the Contract with the NSDC for the award of assignment and will be requested to review the terms and conditions carefully.
- 23.2. In case the Bidder does not agree on the terms of the Contract next ranked successful Bidder will be approached for providing the Services.
- 23.3. The discussions will be concluded with a review of the Contract, which then shall be initiated by the Client and the Bidder's authorized representative.
- 23.4. Abnormally low or high Bids can be checked for accuracy and understanding with respective Bidder/s.
- 23.5. NSDC reserves the right to award assignment to one or more successful Bidder for any specific assignment and the number will depend on the requirement.

Annexure -1

(Documents Comprising Technical Proposal)

Form TECH-1

Technical Proposal Submission Form

{Location, Date}

To:

[Name and address of NSDC]

Dear Sir,

We, the undersigned, offer to provide the Services for [Insert title of assignment] in accordance with your Request for Proposal dated [Insert Date] and our Proposal.

We are hereby submitting our Proposal and declare that:

- (a) all the information and statements made in this Proposal are true and we accept that any misinterpretation or misrepresentation contained in this Proposal may lead to our disqualification by the Client and/or may be sanctioned by the Client;
- (b) our Proposal shall be valid and remain binding upon us for the period of 180 days after the last date of submission;
- (c) we have no conflict of interest in accordance with Clause 3 of this ITB;
- (d) we hereby confirm our understanding of our obligation to abide by the NSDC's policy regarding corrupt and fraudulent practices as outlined in Schedule -III of the draft contract;
- (e) we, along with any of our Sub-Bidders, subcontractors, suppliers, or service providers for any part of the selection, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by a central government/ministry and or any state/s of India;
- (f) in competing for (and, if the award is made to us, in executing) the Contract, we undertake to observe the laws against fraud and corruption, including bribery, in force as per the Prevention of Corruption Act, 1988; and
- (g) our Proposal is binding upon us and subject to any modifications.

We undertake, if our Proposal is accepted and the Contract is signed or letter/email of Intent is issued, to initiate the Services related to the assignment no later than the date indicated in the Contract/letter. We understand that the Client is not bound to accept any Proposal that the Client receives.

We remain,

Yours sincerely,

Authorized Signature {In full and initials}: ____

Name and Title of Signatory: ____

Name of Bidder: ____

Address: ____

Contact information (phone and e-mail): ____

(I) General Information

SN	Particulars	Details (Enclose supporting documents, wherever required)
1.	Name of the Bidder	
2.	Registered Address	
3.	Name of the Authorized Representative and Designation	
4.	Mobile Number	
5.	Email ID	

(II) Information as per eligibility criteria (Please use MS excel to provide details of this table below)

SN	Particulars	Details (Enclose supporting documents, wherever required as per)
1.	Bidder's Date of Incorporation/ Registration	<i>[Kindly Enclosed the Certificate of Incorporation or Certificate of Registration]</i>
2.	Annual Turnover FY 21-22 FY 20-21 FY 19-20	

Form Tech 2- Bidder's Experience

(III) Information as per eligibility criteria and technical evaluation criteria

(Please use MS Excel to provide details of this table below)

Assignment No:1	
Name of Client:	
Brief of Services/Product Provided:	
Location and Country:	
Name of Project:	
Year:	
Project Duration:	
Project Value In INR:	
Email id and contact detail of client	
Assignment No:2	
Name of Client:	
Brief of Services/Product Provided:	
Location and Country:	
Name of Project:	
Year:	
Project Duration:	
Project Value In INR:	
Email id and contact detail of client	
Assignment No:3	
Name of Client:	
Brief of Services/Product Provided:	
Location and Country:	
Name of Project:	
Year:	
Project Duration:	
Project Value In INR:	
Email id and contact detail of client	
Assignment No:4	
Name of Client:	
Brief of Services/Product Provided:	
Location and Country:	
Name of Project:	
Year:	
Project Duration:	
Project Value In INR:	
Email id and contact detail of client	

**Financial Bid Formats
(to be submitted separately)**

Form Fin-1

Financial Format PMV Project: Price of a Kit in INR				
SN	Category	Part 1:	Part 2:	Grand Total
		Equipment	Accessories/Consumables/ Safety Gears	
1.	Barber (Naai)			-
2.	Carpenter (Suthar)			-
3.	Boat Maker			-
4.	Dhobi			-
5.	Cobbler (Charmakar)/ Shoesmiths/ Footwear Artisans			-
6.	Armourer			-
7.	Blacksmith			-
8.	Hammer And Tool Kit Maker			-
9.	Locksmith			-
10.	Goldsmith (Sunar)			-
11.	Potter (Kumhar)			-
12.	Sculptor (Moortikar)/ Stone Carver/ Stone Breakers			-
13.	Doll & Toy Maker (Traditional)			
	13.1. Type A: Glass Toys			-
	13.2. Type B: Leather Toy			-
	13.3. Type C: Soft Toys			-
	13.4. Type D: Wooden Toys			-
14.	Basket Maker/ Basket Weaver: Mat Maker/ Coir Weaver/ Broom Maker			
	14.1. Type A: Bamboo/Wood twigs – Basket Maker			-
	14.2. Type B: Broom Maker			-
	14.3. Type C: Coir Weaver			-
	14.4. Type D: Mat Weaver, Mat maker			-
15.	Malakar			-
16.	Mason			
	16.1. Type A: Brick Mason			-
	16.2. Type B: Tile Mason			-
	16.3. Type C: Plaster Mason			-
	16.4. Type D: Concrete Mason			-
17.	Fishing Net Maker			
18.	Tailor (Darzi)			

Annexure -2

It is imperative to ensure that all actions toward the award of Contract and its implementation on the ground have to be fair, consistent, transparent and based on the highest standard of ethics. Similarly, Bidders/suppliers/contractors/Bidders associated in the procurement of goods & consultancy, are expected to observe the highest standard of ethics during procurement and execution of Contracts. In pursuance to the above:

- a. Proposal for award may be rejected, if it determines that the Bidder, recommended for award, and/or its employees, sub-contractors, Sub-Bidder, sub-vendors, and agents have engaged in corrupt or fraudulent practices in competing for the Contract in question;
- b. portion of the funds allocated to a Contract may be cancelled, in full or in part, if it is determined that Corrupt or Fraudulent Practices (*defined below*) were engaged by Contractor/Bidder and/or its employees, Sub-Contractors/sub-Bidders, sub-vendors, agents for getting the Contract or during the execution of a Contract;
- c. a Contractor may be declared as ineligible, either indefinitely or for a stated period of time, to be awarded a Contract, if it, at any time, determines that the Contractor has been engaged in corrupt or fraudulent practices in competing for or in executing the Contract. For the purpose of above provision, the terms, "Corrupt Practice" and "Fraudulent Practice", mean following:
'**Corrupt Practice**' means offering, giving, receiving, or soliciting anything of value to influence the action of Client's official(s) in the procurement process or in the Contract execution; and
'**Fraudulent Practice**' means any omission or misrepresentation of facts that may mislead or attempt to mislead the procurement process or the execution of a Contract and includes collusive practices among bidders (prior to or after bid submission) designed to establish Bid/Proposal prices at artificial, non- competitive levels.

Terms of Reference (ToR) of Supplying of Pradhan Mantri Vishwakarma Yojana Toolkit

1. NSDC is a one of its kind, Public Private Partnership in India in which 51% of the total share capital has been contributed by the private sector. NSDC has been implementing some of the flagship schemes like PMKVY and PMKK of the Government of India. NSDC intends to hire agencies (hereinafter referred to as "Supplier" or "Service Provider") for supplying the PMV Tool Kits ("Kits") to the designated training centers ("Training Centre" or "TC").
2. **SCOPE OF WORK**
 - 2.1. Supplier to quote for the equipment as per the specifications mentioned in the toolkit specification list (Annexure 3).
 - 2.2. Suppliers will prepare a composite package of equipment as per the toolkit list for each trade (annexure 3).
 - 2.3. Suppliers will ensure delivery of equipment in a toolkit package form, to the Training Centre's implementing PM Vishwakarma as per the information shared by NSDC.
 - 2.4. Supplier will be responsible for the delivery of toolkits to Training Centers as per the information (quantity, location, branding on packaging) shared by NSDC.
 - 2.5. Toolkits must be supplied within 2-3 days to the address of the Training Center as per the information shared by NSDC.
 - 2.6. Suppliers shall undertake all necessary actions to ensure the satisfactory delivery of the Toolkits.
 - 2.7. Suppliers will share the dispatch and delivery status of toolkits with NSDC weekly.
3. **SUPPLIERS' RESPONSIBILITY**
 - 3.1. Delivery of approximately 4000 toolkits over the next 3 (Three) months.
 - 3.2. Toolkits delivery to training centers implementing PM Vishwakarma as per the instructions shared by NSDC.
 - 3.3. Suppliers to supply Toolkits to the Training Centers across India as and when required by NSDC.
 - 3.4. Suppliers to ensure that packaging of toolkit is done in a manner that there is no breakage of the equipment.
 - 3.5. This estimate is approximate and may increase or decrease over the duration of the year. NSDC may, at its sole discretion, enter into a contract with one or more Service Providers.
4. **PRICE AND PAYMENT TERMS**
 - 4.1. The price of composite package of Toolkit for each trade will include GST but excluding transportation and packaging.
 - 4.2. The full payment shall be made to the Supplier upon successful delivery of the complete order to the satisfaction of NSDC at the Training Center within the timeline.
 - 4.3. A proof of delivery must be maintained by Supplier.
 - 4.4. Payment shall be initiated concurrently with the submission of the invoice to NSDC.
 - 4.5. Payment shall be made by NSDC after receipt of a valid and correct and undisputed invoice raised to NSDC. The Supplier shall send an invoice to NSDC for payment after successful delivery of the Kits. Such invoice shall be accompanied by all relevant supporting documents substantiating/ demonstrating delivery of the Toolkits.
 - 4.6. The unit rate of toolkit

- otherwise) and incidental expenses e.g., insurance, delivery charges, octroi, loading and unloading charges, etc.
- 4.7. Subject to the terms hereof, the Supplier shall be deemed to have satisfied himself as to the correctness and sufficiency of the rates as mentioned in this bid, which shall, cover all its obligations under this Agreement.
 - 4.8. The Supplier acknowledges and agrees that NSDC shall not be liable to pay any amount over and above the rates that are finalized.
 - 4.9. Unless specified otherwise, the Supplier shall be entirely responsible for all applicable taxes, duties, license fees, etc.
 - 4.10. All payments shall be made in Indian Rupees (INR) which shall also be the invoicing and accounting currency.
 - 4.11. No payment made by the NSDC herein shall be deemed to constitute acceptance by NSDC of the delivery or any part(s) thereof. All invoice payments shall be subject to certification by NSDC's authorized representative. In the event that NSDC disputes any invoice raised by the Supplier, NSDC shall pay the undisputed portion thereof as per the terms of this Agreement and shall notify to the Supplier of the dispute/reasons for non-payment for the disputed portion of the invoice.
 - 4.12. NSDC will have the right to audit the books & records of the Supplier, and also visit & inspect the premises of the Supplier for the purpose of verifying: (a) the proper performance by Supplier of its obligations under this Agreement; and (b) the amounts and costs payable by or to be paid by NSDC. NSDC may, on reasonable notice, conduct an audit of books and records of Supplier by authorized representatives of its own, or by any public accounting firm selected by NSDC, during normal business hours at any reasonable time or times during the term of this Agreement and within a period of seven (7) years thereafter.

5. PACKAGING

- 5.1. The Supplier shall fully comply with Delivery Packaging Specifications as provided in Annexures - 3.
- 5.2. In addition, the Supplier shall also adhere to the requirements of law, if any with respect to packaging, and NSDC in no event be liable for contravention of the same by the Supplier.

6. QUANTITY

- 6.1. If the quantity as received by TC /or NSDC is less than as required in the purchase order or any item is missing from the toolkit, TC/NSDC may, at its option, either accept the delivery or return the toolkits at the expense of Supplier.
- 6.2. TC / NSDC shall not be liable for acceptance to take custody of toolkits delivered to it without any purchaser order.
- 6.3. The delivery shall be accepted strictly at the place specified in the purchase order and within the time schedule mentioned in the Agreement.

7. COMPENSATION

- 7.1. In case of non-delivery or delayed delivery, NSDC reserves the right to ask the Supplier to compensate as determined by the NSDC.
- 7.2. NSDC reserves the right to seek performance report from TC who receives the toolkits from the Supplier. In the event of

Center regarding the quality or delivery of toolkit, items received are found to be valid upon investigation, the Agreement may be terminated forthwith by NSDC without any obligation for further payments to the Supplier, and NSDC may also impose a penalty on the Supplier as decided by NSDC.

8. TREATMENT OF REJECTED KITS




- 8.1. If Kits supplied by the Supplier to TC / NSDC do not meet the various specifications as mentioned in Annexure 3, all such toolkits will be treated as rejected toolkits ("Rejected Toolkits").
- 8.2. The Rejected Toolkits shall be lifted from TC / NSDC premises within (7) seven days from the date of intimation failing which, the same may be returned back by TC / NSDC at Supplier's own risk and cost.
- 8.3. As long as Rejected Toolkits are at TC / NSDC premises, it shall be entirely at the Supplier's risk after informing to the Supplier and TC / NSDC will have no responsibility for such Rejected Toolkits if they are lost or damaged in due course of time.
- 8.4. Reuse of Rejected Toolkits or selling it through any other agency is prohibited.





TOOLKIT SPECIFICATION


BARBER (NAAI)

Details of Existing & Proposed Tool Kit Item





Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Electronic clipper		<p>Super slim and light weight for mobility 0.4 mm cutting length. 4 Guide combs (2.5 mm to 11 mm) Lithium-ion battery.</p> <p>75 min run time / 60 min charge.</p> <p>Power source type: battery powered, material type: stainless steel, 1-year warranty.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Better styling of hair & beard -Hair tattoos</p>
Hi-Frequency machine		<p>High frequency electric machine with standard accessories, etc. which helps wound to heal fast and to restrain pores and be very multi-functional like helps hair growth and cure alopecia, etc.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Stimulates hair growth, controls hair fall. Used in various hair treatments</p>
Hair Straightener cum Iron		<p>Dual Ceramic Heaters for immediate heat up and rapid heat recovery. One hour Auto Shut Off function. Tourmaline ceramic plates emit gentle, far-infrared heat to eliminate frizz. LED display with adjustable temperature range from 150 °C to 230 °C. Auto adjustable floating plates to provide for easy glide styling with no gaps. 1 year warranty Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Titanium plates and high-quality plastic body with temperature control.</p>

Heavy duty Hair Dryer		<p>4 heat and 2 speed combination plus cool shot for choice. superior mute.</p> <p>Includes 2 air flow nozzles aesthetic ergonomic design equipped with overheating protection device. The minimum length of cord should be 2.8M. 2200 watts 1 year warranty Tool/ item should be of reputed make and conforming to standard quality</p>	Provides quick and efficient drying of hair & allows for convenient styling
Long edge cutting scissors Thinning scissors		<p>2 pcs of hair cutting Scissors one with straight blades and one with textured blades.</p> <p>Lightweight, High quality stainless steel, durable plastic. Smooth, sharp, and durable.</p> <p>Balanced weight and ergonomic design. Refined and lightweight, reducing wrist, elbow, and hand tension. Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Provides precise and efficient hair cutting.</p> <p>-Ensures clean and tailored results for a polished look.</p>
Comb set		<p>Plastic with carbon fiber finish with standard number of combs. Tool/ item should be of reputed make and conforming to standard quality Material: Plastic with carbon fiber finish Tool/ item should be of reputed make and conforming to standard quality</p>	-Provides precise and uniform results in hairstyling for different hair types and different lengths.
Vent Brush, Round Brush Dusting Brush		<p>Sleek and lightweight body with super flexible bristles help in a pain-free detangle. Ball Tipped bristles should be gentle on scalp & massage it for improved blood circulation and improved hair health. Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Offers efficient and uniform airflow distribution.</p> <p>-Improves styling results & gives volume in hair.</p>

Section clips (Set of 6)		Plastic and metal section clips (set of 6 nos.) Tool/ item should be of reputed make and conforming to standard quality	-Used for sectioning of hair properly.





Part 2: Accessories/Consumables/Safety Gears


Name	Image	Specifications	Usage/Benefits
Apron		Apron made of Waterproof fabric-PU Tool/ item should be of reputed make and conforming to standard quality and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.
Cutting & Coloring Sheet		Apron made of Waterproof fabric-PU. Reusable Tool/ item should be of reputed make and conforming to standard quality and design	-Required for a hygienic purpose & it provides protection from spilling chemical products.
Disposable gloves		Latex & Nitrile disposable hand gloves (box) Tool/ item should be of reputed make and conforming to standard quality	-Used for protection & hygiene.
Disposable Bags		Garbage Bags made of Compostable plastic, Minimum 35 Micron. Disposable black plastic bags with standard size Storage capacity: Min 2 Kgs. Packing Weight: 1 Kg Tool/ item should be of reputed make and conforming to standard quality	-Disposing of used products and hair correctly.

CARPENTER (SUTHAR)





Details of Existing & Proposed Tool Kit Item


Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Electric Planer		Rated Power Min 650W, Planing Width Min 80 mm Max cutting depth 2mm-2.6mm, Tool/ item should be of reputed make and conforming to standard quality, Warranty: One year With standard box accessories	Efficient material removal for smooth surfaces
Electric Hand Cutter		Rated Power: Min 1300W Saw Blade Dia.: 184-185 mm Max Cutting thickness: 64 mm Min RPM: 4800 Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Enables precise and controlled cutting work
Electric Trimmer /Hand Router		Rated Power: Min 550W No Load Speed: 20000 RPM Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Detailed shaping and trimming of wood.
Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Tool/ item should be of reputed make and conforming to standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects

Drill Machine Set		<p>Electric Corded Drill Machine Set (Power Tool)</p> <p>Rated Power 500W</p> <p>No Load Speed: Min 2600 RPM</p> <p>Chuck Capacity 1.5-10mm</p> <p>Complete Kit of 100 Pcs</p> <p>Warranty: Min 1 year</p> <p>Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories</p>	Versatile drilling capabilities in wood and other materials.
-------------------	---	--	--

Part 2: Accessories/Consumables/Safety Gears






Name	Image	Specifications	Usage/Benefits
Extension Cord		<p>4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW</p> <p>Warranty: Min. One year</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently
Ear Plug (Corded)		<p>Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Tool/ item should be of reputed make and conforming to standard quality</p>	Useful for protecting the ears against loud noises of machines
Safety Goggles		<p>Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.
Safety Gloves (1 Pair)		<p>Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Prevent cuts, splinters, and abrasions, enhances hand protection and overall work safety.

<p>Safety Shoes</p>		<p>Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.</p>
---------------------	---	--	---






BOAT MAKER

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Electric Hand Cutter		Rated Power: Min 1300W Saw Blade Dia: 184-185 mm Max Cutting thickness: 64 mm Min RPM: 4800 Warranty: Min 1 year Tool/ item should be of reputed make and conforming to standard quality, With standard box accessories	Enables precise and controlled cutting work
Grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch Locking nut : M10 Min Rotational Speed 11000 RPM Blade Size 100mm With standard box accessories Tool/ item should be of reputed make and conforming to standard quality, Warranty: Min. One year	Offers heightened efficiency, precise shaping, and reduced physical strain, Enables smoother and more intricate woodworking projects
Drill Machine Only		Electric Corded Drill Machine (Power Tool) Rated Power 600W No Load Speed: Min 3000 RPM Chuck Capacity 1.5-13mm, Tool/ item should be of reputed make and conforming to standard quality, Warranty: Min 1 year	Offers versatile drilling capabilities for creating holes in wood and other materials.
F-Clamps (12 Inches) (1 Pair)		Heavy-duty metal, 12 Inches Tool/ item should be of reputed make and conforming to standard quality	Clamps for holding different sizes of wood during the building of a boat
F-Clamps (8 Inches) (1 Pair)		Heavy-duty metal, 8 Inches Tool/ item should be of reputed make and conforming to standard quality	Clamps for holding different sizes of wood during the building of a boat





Part 2: Accessories/Consumables/Safety Gears




Name	Image	Specifications	Usage/Benefits
Extension Cord		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Offers extended reach for devices, enables flexibility in placing tools and equipment conveniently
Ear Plug (Corded)		Ear Plugs Corded, Extra Soft, Reusable Earbuds Noise Cancellation, Soundproof Earplug, Tool/ item should be of reputed make and conforming to standard quality	Useful for protecting the ears against loud noises of machines
Safety Goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Crucial eye protection against flying debris, ensures a secure and injury-free Work environment.
Safety Gloves (2 Pair)		Nitrile Coated, Nylon Knitted, Cut Resistant, Palm Coated Safety Gloves, Free Size Tool/ item should be of reputed make and conforming to standard quality	Prevent cuts, splinters, and abrasions, enhances hand protection, and overall work safety.
Safety Shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Offers foot protection from heavy objects, sharp tools, and potential hazards, ensures a secure work experience.


DHOBİ

Details of Existing & Proposed Tool Kit Item


Part 1: Equipment





Name	Image	Specifications	Usage/Benefits
Steam Iron with water tank		1 pc of 1200 Watt Warranty – 6 Months Tool/ item should be of reputed make and conforming to standard quality	Steam iron effectively removes wrinkles from clothes, environment friendly.
Tub		1 pc in one kit Plastic Tub with a Capacity of 55-60 litre Tool/ item should be of reputed make and conforming to standard quality	-Plastic tubs serve multiple purposes beyond just holding water for washing clothes. Used for soaking, rinsing, bleach and disinfectant application and storage of washed fabrics -Dhobis can use different colored plastic tubs to segregate clothes based on types or stages of laundering, aiding in organizing the laundry process more efficiently.
Cloth Cleaning Brush		1 pc in one kit Rectangular plastic Brush With Handle with Nylon Bristles Tool/ item should be of reputed make and conforming to standard quality	-Brushes help loosen and remove stains from fabrics, making it easier for detergents and cleaning agents to penetrate and remove the stains during washing. -Brushes facilitate scrubbing actions, which are especially useful for removing stubborn dirt, grime, and stains from fabrics and surfaces.
Hose Pipe with Connectors (10 mtrs.)		1 pc in one kit PVC Pipe Diameter: 0.5 Inch, Layered Braided Water Hose Pipe Watering Hoses with Connector and Clamps	-Pipes and hoses play a crucial role in the operations of dhobis (laundry service providers), facilitating water supply, storage, operational task like rinsing and steam distribution. Well-designed pipes distribute water evenly, optimizing the use of water and reducing wastage

		Tool/ item should be of reputed make and conforming to standard quality	
Textile Stain Cleaning Gun		<p>Plastic body</p> <p>Adjustable nozzle is designed for effortless, stepless setting of spray cones ranging from high concentration.</p> <p>Electrically Operated.</p> <p>No Air Compressor Required.</p> <p>Useful in cleaning garments, carpets, scarfs, shawls, ladies wear, children garments etc</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Essential skilling equipment for dhobis, meant for daily requirement to clean different types of spots on fabrics The candidate will learn to add appropriate amount of cleaning agents for greater efficiency
Large Powder Coated Mild Steel Ironing Board/Table		<p>Type of Product : Ironing Board</p> <p>Length: 131.5 cm</p> <p>Width: 33 cm</p> <p>Height 88 cm</p> <p>Portable: Yes</p> <p>Frame Material: Powder Coated Mild Steel</p> <p>Mounting Type : Surface Mount</p> <p>Foldable</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Faster and easier way of ironing clothes using adjustable height to give better comfort during the process
		<p>1000W DRY IRON</p> <p>Super-Lightweight 630g</p> <p>360-degree swivel cord</p>	Lightweight, easy to use with instant heat. Very efficient for the dhobi for quick ironing of small clothes

Small Iron		Tool/ item should be of reputed make and conforming to standard quality	
Washing Machine		<p>Semi-Automatic washing machine</p> <p>Must remove stubborn stains.</p> <p>Must remove mould and odor</p> <p>8 KG Wash capacity, 15 mins wash time</p> <p>Anti rust plastic body, Scrubber plate</p> <p>Magic filter, 1300 RPM Speed, Multi fins pulsator</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	Machine learning to the selected candidate will enable them to learn and use appropriate quantity of detergent and other cleaning agents.

Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Laundry Detergent Liquid (3 L)		<p>Shelf Life: At least 24 Months</p> <p>Eco friendly , Chemical free and Non toxic</p> <p>Ph Value :Neutral</p> <p>ISO Certified Prefferred</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-More effective in different water conditions and at various temperatures.</p> <p>-Detergents rinse more thoroughly, leaving fewer residues behind.</p> <p>-Detergents use biodegradable ingredients that break down more easily in the environment, reducing potential and harm to aquatic ecosystems.</p>





Stain Removing Agent (1 ltr.)		Removes hard stains like Oil, Grease, etc. and dirt from various type of delicate & coloured fabrics. Type- Solven Base Tool/ item should be of reputed make and conforming to standard quality	- Efficiently tackle wide range of stains, saving time and effort compared to manual scrubbing.
Oxygen Bleach (1 ltr.)		Shelf Life : 24 months Tool/ item should be of reputed make and conforming to standard quality	-For whitening, disinfecting, and removing tough stains from fabrics. -Oxygen bleach is considered more gentle on the environment, as it breaks down into water and oxygen.
Gloves		1 pair in one kit. Reusable gloves Non-slip Waterproof Size may vary depending upon the hand size. Tool/ item should be of reputed make and conforming to standard quality	-Gloves act as a barrier, preventing direct contact with dirt, germs, and bodily fluids on laundry items therefore contributing to better hygienic environment. -Minimize cross-contamination, curbing the spread of germs and infections.
Fabric Disinfectant (1 ltr.)		Shelf Life:2 year Bleach Free Tool/ item should be of reputed make and conforming to standard quality	-To kill or neutralize harmful microorganisms on fabric surfaces, making them particularly useful for items that are in contact with skin and which harbor bacteria, viruses, and fungi.

COBBLER (CHARMAKAR)/ SHOESMITHS/ FOOTWEAR ARTISANS




Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Bench Buffing/ Grinding Machine (200 W) with buffing & grinding wheels.		Electric Bench Buffing / Grinding machine HP: 0.5 Motor – 200 W RPM: 2,800 Tool/ item should be of reputed make and conforming to standard quality	-Motorized devices provide fast processes, save time and energy.
Manual Operated Punching and Riveting tool with dies		Hand Operated with provision to change the dies (Rivetting, eyeletting & punching) Tool/ item should be of reputed make and conforming to standard quality	Helps to punch and rivet with less effort. Helps to save time and energy.
Leathercraft Stitching Tool Speedy Stitching Sewing Awl		Stitching awl for leather swing and stitching with standard accessories min weight 70 gms, Tool/ item should be of reputed make and conforming to standard quality	
Electric Shoe Polishing Kit		Electric shoe polishing kit Battery operated with 4 no of brushes, handheld Min. 1.2 W, 3V DC. Alongwith Standard accessories. Tool/ item should be of reputed make and conforming to standard quality	-Better polish finish Increases productivity and saves time and energy

Soldering Iron with Mock Bit		Power – 125 Watts Voltage – 230 ~250 V Wire length – 1.5 meters, 5A Plug Point ISI Mark Tool/ item should be of reputed make and conforming to standard quality	-Helps to remove the wrinkles of shoes and other goods.
Hair Dryer		Electric Dryer useful for drying adhesive faster. Power: Min. 2,000 watts Voltage: 240 V, 50 Hz AC Motor Reputed stanard make ISI mark	-Useful in drying adhesive faster
Stackable Materials Organizer		Minimum 9 boxes, PVC or PET Material Size: 28.9 x 21.6 x 6.8 cm Tool/ item should be of reputed make and conforming to standard quality	-Helps to organize all the materials like eyelets, rivets, buttons and accessories in an organized way.
Cutting Mat		Material: Rubber Size: A3 (18"X12") 5 Layers Double Sided Durable PVC Material: Poly Vinlyl Chloride (PVC) Tool/ item should be of reputed make and conforming to standard quality	-Scale integrated cutting mate helps in perfect measurement and saves time.

Part 2: Accessories/Consumables/Safety Gears


Name	Image	Specifications	Usage/Benefits
PU Rexene of Different Colors		Material: PU/PVC Rexine Minimum Thickness: 1 mm Requirement: 10 Square meter Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Handbags, Car & Bike Seat Covers, Bag Bags, etc.,
Adhesives (Rubber based)		Material: Rubber Based Polymeric Adhesive Viscosity: 20-25 S Requirement- 10 Liter Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Hand Bags, Car & Bike Seat Covers, Bag Bags, etc.,
Threads (Different Color)		Material: Linen/Nylon Size: TKT No. 10/20/30/40 Tool/ item should be of reputed make and conforming to standard quality	Use full for Making Shoes, Hand Bags, Car & Bike Seat Covers, Bag Bags, etc.,

ARMOURER

Details of Existing & Proposed Tool Kit Item






Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Hand lever shearing		Manual Level Shearing Machine Blade Length: Min 450 mm; Cutting Map Sheet: Min 6 mm; Cutting Map Flat: Min 65x8 mm; Cutting Map Round: Min 12 mm With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Better accuracy, easy to use and time saving
Oxy gas cutting torch		Heavy Duty Oxy gas cutting torch MOC: Brass Injector Mix Type, 460 mm, Cutting range 0-250 mm Laser Welding Machine, With Nozzle. Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	Better accuracy and time saving. Can also be used for brazing.
Angle grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, Locking nut: M10, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Multipurpose and time saving
Digital Vernier Caliper		High precision digital Vernier Caliper CE/ISI marked. Type: Digital, Body: Stainless Steel, Display: LCD, Operating Temp.: 5-40 Deg C, Measuring Range: 150 mm, Least Count: 0.01mm, Accuracy: 0.02mm < 100mm, 0.03 mm for 100-150mm Supply: Battery Operated (Alkaline Lithium Button cell, 1.5V ,180mAH) Tool/ item should be of reputed make and conforming to standard quality	-Provides accurate measurements
Nylon Hammer		¾ Inch face Hammer with Removable head Head Material: Nylon Handle: Wooden	-Used in delicate operations with metal

		Tool/ item should be of reputed make and conforming to standard quality	
--	---	---	--

Part 2: Accessories/Consumables/Safety Gears





Name	Image	Specifications	Usage/Benefits
Cutting wheel		4" Cutting Wheel, Double Net, Suitable for Cutting Stainless Steel and Metals Compatible with 4" Angle Grinder Qty: 1 Lot of 50 Pieces Tool/ item should be of reputed make and conforming to standard quality	-Accessory for Angle Grinder
Wire extension		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load: 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in attaching more electric equipment simultaneously
Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries
C Clamp		BIS/CE Certified C Clamp MOC: Steel Size: 3 Inch Make: Taparia/Stanley or Equivalent Make Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in holding the workpiece
Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year	-Protects hand from hot metal, molten liquid etc.

		Tool/ item should be of reputed make and conforming to standard quality	
Polishing buff wheel		4 Inch Buffing Wheel Pad, Non-Woven Fabric Thickness: 5 mm Bore diameter: 16mm Application: polishing stainless steel metal marble glass ceramic Set of 2 Tool/ item should be of reputed make and conforming to standard quality	-Accessory for Polishing machine
Wire brush		Steel Wire Scratch Brush Bristle Type: Straight Wire Bristle Area: Min 5 X 14 Rows	-Used in cleaning metal
Scrubber Pad		Scrubber Pad, Size: 10 X 14 Cm Set of 6 Pcs	-Used in polishing steel and other metals
Cleaning liquid		Stainless Steel Polish, Acid Free Liquid, Can of 5 Liters	-Used in buffing and polishing metals
Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	-Protects eyes from metal chips and dust






BLACKSMITH

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Gas furnace		Gas Melting Furnace, Melting Capacity: Min. 5Kg MOC: Iron Colour: Copper With Upper Lid, Crucible and Crucible Stand With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Safe and less use of coal.
Blower		Electric Blower Fan Machine for Gas Melting Furnaces 230VAC, 50Hz, Min 18 No Copper Armature Speed: Min 2800RPM, MOC : Cast Iron With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-High temperature can be attained using blower.
Angle grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, Locking nut :M10, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Multipurpose and time saving
Chisel and Punch Set		One-piece forged construction for strength Hardened, quenched and tempered for long life and durability Chisel body using alloy steel, overall heat treatment. Tool/ item should be of reputed make and conforming to standard quality	- Helps to edit the workpiece as per convenience.





Part 2: Accessories/Consumables/Safety Gears


Name	Image	Specifications	Usage/Benefits
Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Gives protection from high heat and temperature
Wire extension		4 Way Extension Board, 16A, 230VAC, 50Hz, with 16A Glass Fuse, Metal enclosure, Suitable Copper Cable, Individual Switching Control of 4 Outlets with LED Indicator Switches, Total Load : 2500KW Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Used in attaching more electric equipment simultaneously
Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries
Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.
Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	-Protects eyes from metal chips and dust

HAMMER AND TOOL KIT MAKER





Details of Existing & Proposed Tool Kit Item


Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Gas furnace		Gas Melting Furnace, Melting Capacity: Min. 5Kg MOC: Iron Colour: Copper With Upper Lid, Crucible and Crucible Stand With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Safe and less use of coal.
Drilling machine		Electric Corded Drill Machine Set (Power Tool), Rated Power Min 500W' No Load Speed: Min 2600 RPM, Chuck Capacity:1.5-10mm, Complete Kit of 100 Pcs, Warranty: Min 1year With standard box accessories Tool/ item should be of reputed make and conforming to standard quality	-Saves times and increade the productivity.
Angle grinder		Electric Grinder Min. 670 W, Disk Dia. 4 inch, Locking nut :M10, Min Rotational Speed 11000 RPM, Blade Size 100mm, With standard box accessories, Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Multipurpose and time saving
Digital Vernier Caliper		High precision digital Vernier Caliper CE/ISI marked Type: Digital Body: Stainless Steel Display: LCD Operating Temp.: 5-40 Deg C Measuring Range: 150 mm Least Count: 0.01mm Accuracy: 0.02mm < 100mm 0.03 mm for 100-150mm Supply: Battery Operated (Alkaline Lithium Button cell, 1.5V ,180 mAH)	-Accurate measurements

		Tool/ item should be of reputed make and conforming to standard quality	
Chisel and Punch Set		One-piece forged construction for strength. Hardened, quenched and tempered for long life and durability Chisel body using alloy steel, overall heat treatment. Tool/ item should be of reputed make and conforming to standard quality	- Helps to edit the workpiece as per convenience.

Part 2: Accessories/Consumables/Safety Gears



Name	Image	Specifications	Usage/Benefits
Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Gives protection from high heat and temperature
Cleaning liquid		Stainless Steel Polish, Acid Free Liquid, Can of 5 Liters	-Used in buffing and polishing metals
Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries
Leather gloves		Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Protects hand from hot metal, molten liquid etc.
Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection and protection coating,	

		<p>adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	-Protects eyes from metal chips and dust
--	---	--	--



LOCKSMITH



Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Air hydraulic rivetter		Air Hydraulic Riveter Stroke Length : Min 14mm Rivet Size: 2.4mm 3.2mm 4mm 4.8mm; Pneumatic, , Fast Hitting, Grip Material: Steel, Heavy Duty, Number of Nose Pieces: 04 Air Inlet: ¼" With standard box accessories Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Better finishing, time saving and accuracy.
Key cutting machine		Electric automated key duplicator cutting machine 230VAC, 50Hz Cutting Type: Single and Double Bitted Keys With Hand Crank Override With standard box accessories Tool/ item should be of reputed make and conforming to standard quality Warranty: Min. One year	-Time saving, effective, accurate and fast results

Part 2: Accessories/Consumables/Safety Gears




Name	Image	Specifications	Usage/Benefits
Safety helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Protects head from injuries
Leather apron		Leather Apron with Pockets Adjustable Neck Strap Size: Standard Regular Free Size With Min One Large Pockets for carrying large tools and Min 6 Small Pockets for smaller tools Warranty: Min. One year Tool/ item should be of reputed make and conforming to standard quality	-Gives protection from high temperature





Leather gloves		<p>Leather Safety Gloves Heat, Cut, Wear & Tear Resistant, Anti-Impact Coated Size: Free Size Warranty: Min. One year</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	-Protects hand from hot metal, molten liquid etc.
Safety goggles		<p>Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	-Protects eyes from metal chips and dust

GOLDSMITH (SUNAR)





Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Micromotor with Finishing accessories		Type of motor: Carbon brush motor Power : 65w Torque :280 gf.cm Direction Control Speed Range: 0-40,000 rpm Tool/ item should be of reputed make and conforming to standard quality Foot pedal for variable speed control Bur size: 2.35mm	-Portable -Fine/ accurate speed control -Low maintenance / less breakdowns -Improves workmanship quality of surface finish with consistency -Improves productivity due to less breakdowns
Cutter		Cutter made with Carbon steel with plastic insulation Size 200mm Tool/ item should be of reputed make and conforming to standard quality	-For Cutting gold /silver ingots
Portable Digital weighing balance		Portable Digital Weighing Balance CE/ISI marked Type: Digital Body: ABS plastic Display: LCD Backlit: Yes Weighing Capacity: 600 gm Pan size: 60x70mm Least Count /Accuracy: 0.01 gm Calibration: Auto Operating Temp.: 10-40 Deg. C Tare Capacity : Tare full capacity Supply : Battery Operated (2 X AAA) Tool/ item should be of reputed make and conforming to standard quality	--Improves measurement accuracy -Removes human measurement errors -Helps ensuring correct weight of jewellery demanded by customer.

Doming Block with Dapping Punch set		<p>Doming Block with Dapping Punch set</p> <p>Doming Block Size : 2 " x 2"</p> <p>Dapping Punch Qty : Set of 24 punches</p> <p>Range of Dapping Punch Ball Diameters: 2.3 mm to 25mm</p> <p>Material : High density hardened Steel</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Helps making new shape & forms for different jew. designs</p> <p>-Improves productivity with consistent quality</p>
Digital Vernier Calliper		<p>High precision digital Vernier Caliper</p> <p>CE/ISI marked.</p> <p>Type: Digital</p> <p>Body: Stainless Steel</p> <p>Display: LCD</p> <p>Operating Temp.: 5-40 Deg C</p> <p>Measuring Range: 150 mm</p> <p>Least Count: 0.01mm</p> <p>Accuracy: 0.02mm < 100mm</p> <p>0.03 mm for 100-150mm</p> <p>Supply: Battery</p> <p>Operated (Alkaline Lithium Button cell, 1.5V,180 mAH)</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Improve measurement accuracy</p> <p>-Remove human measurement errors</p> <p>-Helps achieving / offering critical dimensions demanded by customer</p>
Grooving / Forming Block		<p>Grooving / Forming Block</p> <p>Size: Length – 3" , Width – 2" , Height – 2"</p> <p>Material: High density Hardened Steel</p> <p>Tool/ item should be of reputed make and conforming to standard quality.</p>	<p>-Helps making new shape & forms for different jew. designs</p> <p>-Improves productivity with consistent quality.</p>
Jeweller's saw frame with blades		<p>Saw frame with</p> <p>Blades no 2,3,4,5,6</p> <p>Frame size 150 mm</p> <p>Tool/ item should be of reputed make and conforming to standard quality.</p>	<p>-Used for precision cutting of different shapes</p>




Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Micro Torch with Refilling Cylinder		Micro Torch Burner Type: Piezo Gas Burner Type: Refillable Flame temperature: 1300 Degree Centigrade Cylinder Capacity: 270g (500 ml) Type of Gas: Butane Tool/ item should be of reputed make and conforming to standard quality	-Portable -Low maintenance -Cost effective
Ceramic Solder plate		Material: Non- hazardous Ceramic Tool/ item should be of reputed make and conforming to standard quality	-Non-hazardous -Long working life
Jeweller's File set		File set Qty : 6 files (1 Set) Length : 140 mm / Material : Hardened Steel Tool/ item should be of reputed make and conforming to standard quality	-Helps finishing intricate areas of designs having negative surfaces -Improve quality of workmanship
Protective Goggle & Face Mask		Safety Goggle & face Mask. Non hazardous material Tool/ item should be of reputed make and conforming to standard quality	-Adds to personal safety -Minimize health hazards



POTTER (KUMHAR)

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
DUO Electric Potter Wheel		Rep Width: 525 millimeter Length: 810 millimeter Height: 475 millimeter Motor Power: 0.25 horsepower Power Supply: Single Phase, 230V, 50Hz Center Load Carrying Capacity: 20 Kg Tool/ item should be of reputed make and conforming to standard quality	Upgrading the pottery making from manual to Electric machine which is time and energy saving, more precise and easy to operate.
Clay Modeling Tools		Tool/ item should be of reputed make and conforming to standard quality	Definite Art Professional Pottery Tools Kit for Clay Pottery Sculpting, Scarping, Cutting, Fine Detailing, Smoothing, Shaping & Trimming
Inner And Outside Caliper		Tool/ item should be of reputed make and conforming to standard quality	Stainless Steel Inner And Outside Caliper Pottery Clay Measuring Tools Accuracy 1mm Measuring Range 250mm For Clay






Part 2: Accessories/Consumables/Safety Gears



Name	Image	Specifications	Usage/Benefits
Cut-Off Wires		Tool/ item should be of reputed make and conforming to standard quality	.5 mtr with handle
Painting Brushes		Tool/ item should be of reputed make and conforming to standard quality	Set of 6 paint brushes with synthetic hair, Round Oval head with long handle (40 cm long).

SCULPTOR (MOORTIKAR)/ STONE CARVER/ STONE BREAKERS



Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Stone Polisher		125-1 AE Heavy Duty Electric Random Orbit Sander, 250W, 12,000 rpm, 24,000 opm, 125 mm Pad Dia., Hook-and-Loop Fastening, 1.3 kg + Microfilter box & Sanding Disc Tool/ item should be of reputed make and conforming to standard quality	Polishes the stone to smoothen the edges and giving shine to the product
Painter Spray Gun		Tank Volume: 550 Millilitres Dimensions LxWxH: 20.7 x 12.2 x 12.2 Centimeters Tool/ item should be of reputed make and conforming to standard quality	Paint spray gun is used to spray paint evenly on the moorti such as durga moorti and other sculptures.
Advanced Hammer combo	 	Ball Pen Hammer with Handle & WH 500 B Steel (500g) Ball Pen Hammer with Handle (Brown and Black) Combo Tool/ item should be of reputed make and conforming to standard quality	Hammer is used to nail and fix the structures for the idols.
Electric Stone/Tile/Marble Cutter		141 Corded Electric Diamond Tile/Marble Cutter, 1,450W, 125 mm Disc Dia, 12,000 rpm, Double Insulation, Overload Capacity, 3 kg + Hex Key & Hexagon Socket Wrench. Tool/ item should be of reputed make and conforming to standard quality	The Electric Stone Cutter revolutionizes sculpting by providing precision and efficiency. Its powerful motor and adjustable settings enable artists to effortlessly cutting stones in desired shapes.

		conforming to standard quality	
Screwdriver and pliers		8" inch straight head plier and 6X100mm Short 2-In-1 Reversible Screw Driver Tool/ item should be of reputed make and conforming to standard quality	To shape the internal support structure and some detailing.
Measuring Tape		Length: 5Mtr. /19mm, Width: 9mm Tool/ item should be of reputed make and conforming to standard quality	Advanced measurement tape

Part 2: Accessories/Consumables/Safety Gears





Name	Image	Specifications	Usage/Benefits
Pencil, Eraser		Type : 4HB Pencil Eraser – Tool/ item should be of reputed make and conforming to standard quality	Standard For marking the guides and lines for sculpting
Twine thread		80 Rs. Per Kg twine thread (60 kg)	Twine threads are used to tie the hay to get the basic structure of idols.

DOLL & TOY MAKER (TRADITIONAL)


Type A: Glass Toys


Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Advanced Burner (Torch)		Brass Metal Burner with two nozzle with 2 mm. Tool/ item should be of reputed make and conforming to standard quality	For melting the glass rod.
Blowpipe (Steel/Iron Hollow Pipes)		12mm- 20mm CS Tube Carbon Hollow Bar, Thickness: 2mm To 100mm Tool/ item should be of reputed make and conforming to standard quality	Used to pick up molten glass and blowing up the glass for making glass products.
Oxygen Regulator		Oxygen regulator with measuring unit Fireweld Tool/ item should be of reputed make and conforming to standard quality	To control the oxygen pressure
LPG Regulator		Normal LPG Regulator	to control the LPG pressure

Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Heat/Fire Resistant Gloves		As one heat resistant cut resistant Gloves 380 mm Length Aramid & Cotton , S1Tk / 18. Tool/ item should be of reputed make and conforming to standard quality	Heat/Fire Resistant Gloves helps in handing molten glass process.

Carbon Plate		Carbon plate based on the size (100 rs per Kg) 40 Kg Tool/ item should be of reputed make and conforming to standard quality	For levelling melted glass
--------------	---	---	----------------------------



Type B: Leather Toy


Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Die Cutting Machine		Professional Leather Craft Tool with Waxed Thread Groover Awl Stitching Punch for Leathercraft Tool/ item should be of reputed make and conforming to standard quality	Provides multiple tool kits in a single packaging kit
Round Head Cutter		Round head cutter with high strength steel is used for precision cutting and shaving leather. Tool/ item should be of reputed make and conforming to standard quality	Easily cuts and shaves the leather
Advanced Saddles		20 pcs of leather carving hand working saddle Tool/ item should be of reputed make and conforming to standard quality	Helps in making multiple items of leather

Part 2: Accessories/Consumables/Safety Gears



Name	Image	Specifications	Usage/Benefits
Vegan/Synthetic Leather		6-8 Different colour/types of leather (each 2-4 meter). Tool/ item should be of reputed make and conforming to standard quality	Synthetic leather toys are more user friendly than leather toys.
Safety Eyes and Noses		752pcs Safety Eyes and Noses with Washers Craft Doll Eyes Colorful Safty Eyes Assorted Sizes for Amigurumi Puppet Plush Animal Teddy Bear Puppet Stuffed Animals DIY Craft Tool/ item should be of reputed make and conforming to standard quality	Creative accessories for leather toy (eyes nose)

Waxed Threads		Waxed thick threads different colour. Tool/ item should be of reputed make and conforming to standard quality	Quick Leather Sewing
---------------	---	--	----------------------



Type C: Soft Toys


Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Normal Sewing Machine		Straight Stitch Composite Sewing Machine with Plastic Body Cover (PBC) Tool/ item should be of reputed make and conforming to standard quality	Stitches the clothes faster
Sewing Spools/Threads, Needles, Breeding Needles ,Button ,Metal Pins ,Metal Thimbles ,Hook ,Needle Threader ,Scissors ,Pull Threader ,Measuring Tape ,Fabric Pencil ,Seam Ripper ,Magnifier ,Safety pin ,Case		Sewing kit, includes 41pcs thread coil, needle kit(40pcs), threader, buttons, aluminum threader, various pins, scissors, pencil, measuring tape, seam ripper, thimbles, etc. Practical sewing kit for quilt stitching, clothes stitching, clothes repairing, DIY craft etc.0020 Tool/ item should be of reputed make and conforming to standard quality	

Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Synthetic cotton		40 Kg cotton/synthetic cotton.	Different types of cotton and other filling materials can be used to fill soft toys.
Synthetic Hair		5-6 different types/colours of synthetic hair Tool/ item should be of reputed make and conforming to standard quality	Synthetic hair for making dolls more aesthetic pleasing.
Safety Eyes and Noses		752pcs Safety Eyes and Noses with Washers Craft Doll Eyes Colorful Safty Eyes Assorted Sizes for Amigurumi Puppet Plush Animal Teddy Bear Puppet Stuffed Animals DIY Craft	Provides different sizes and innovative shapes

		Tool/ item should be of reputed make and conforming to standard quality	
Clothes and Fabrics		Different types of fabrics (10 different colours & 6 meters each Tool/ item should be of reputed make and conforming to standard quality	


Type D: Wooden Toys

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Electrical Router		SRR1200 Plunge Router 1200W 55mm Variable Speed With 6 Router Bits with Spindle-lock & Anti-static shoe coating Tool/ item should be of reputed make and conforming to standard quality	Cuts into shapes quicker and easier
Advance Papering Machine		Cordless Orbital Sander Wood Grinder Waxing Polishing for 18V. Tool/ item should be of reputed make and conforming to standard quality	Papering machine maintain smoothness in the product than the manual sanding paper.
Power Carver		ISC 252 Pcs Electric Rotary Die Grinder Tool kit With Flexible Shaft Rotary Tool (3 mm). Tool/ item should be of reputed make and conforming to standard quality	Electric or pneumatic power carving tools can simplify and speed up carving and shaping processes.
Circular Saw		Electric Circular Saw for wood cutting (NDRF) with Tungsten Carbide Tipped Blade Size of Blade in Inches: 12 Input Power Supply: 230 V 50Hz Single phase. Tool/ item should be of reputed make and conforming to standard quality	Circular saw machine maintain the alignment and can work faster
Professional wood carving chisel set		Blade Material: Carbon Steel Woodworking Wood Carving Hand Chisel Professional Tool Set Tool/ item should be of reputed make and conforming to standard quality	Different shapes pointed chisel for carving wood

Part 2: Accessories/Consumables/Safety Gears






Name	Image	Specifications	Usage/Benefits
Painter Spray Gun		Tank Volume: 550 Millilitres Dimensions LxWxH: 20.7 x 12.2 x 12.2 Centimeters Tool/ item should be of reputed make and conforming to standard quality	Paint spray gun is used to spray paint evenly on the moorti and other sculptures.

BASKET MAKER/ BASKET WEAVER: MAT MAKER/ COIR WEAVER/ BROOM MAKER

Type A: Bamboo/Wood twigs – Basket Maker

Details of Existing & Proposed Tool Kit Item




Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Jet Saw		Professional Wood Cutter Saw, Gasoline heavy duty chain saw Fuel 63CC 2.7KW/3.3HP Heavy Duty Chainsaw with 22inch Blade (ORANGE) CORDLESS Tool/ item should be of reputed make and conforming to standard quality	To cut larger stock faster.
Bamboo grinder		99mm mm Width 290 x Height 50 x Length 110mm Weight (approx.): 1 kg 300 g Tool/ item should be of reputed make and conforming to standard quality	Polishes fast and smoothly
Advanced Hammer combo		Ball Pen Hammer with Handle Steel (500g) Ball Pen Hammer with Handle (Brown and Black) Combo Tool/ item should be of reputed make and conforming to standard quality	Hammer Easy handling and grip.
Professional wood carving chisel set		Blade Material: Carbon Steel Woodworking Wood Carving Hand Chisel Professional Tool Set Tool/ item should be of reputed make and conforming to standard quality	Used for sliving thinner bamboo stripes
Bamboo Splitter		As per customized order	Splits the bamboo in 4 pieces


Type B: Broom Maker

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Brooms Assembling Machine		Bamboo broom assembler, 2 metres long. Used to tightnes the broom feather and sticks into the casing. Tool/ item should be of reputed make and conforming to standard quality	-Used to tightnes the broom feather and sticks into the casing
Broom Splinter (Manual)		Height – 7.5", Length – 32 ", Width – 12.5", Weight – 5kg Tool/ item should be of reputed make and conforming to standard quality	Broom splitting
Sealer for packaging		12" manual hand sealer (300mm), Power supply - 230V/50Hz, Raise beep sound on sealing time Tool/ item should be of reputed make and conforming to standard quality	For better packaging







Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Plastic Pipes		Plastic pipe best quality Rs 30 per piece (150 pipes) Tool/ item should be of reputed make and conforming to standard quality	Thick plastic to hold the broom together

Type C: Coir Weaver


Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Machine Spinning		Motor 12-40v DC Motor Capacity 15-18 Kgs Yarn per 8 hour Body ABS Material Speed 2500-3100 rpm Tool/ item should be of reputed make and conforming to standard quality	Used to spin fine yarn for making coir handicrafts and hand woven mats
Professional Pliers		6 Pcs Mini Pliers Set, Including 11.5CM Combination Pliers, Diagonal Cutting pliers, Needle Nose Pliers, Long Nose Pliers, Flat Nose Pliers, End Cutting Pliers for crafts, model making, small hobby projects, jewelry making and are used while stitching and for plucking out the needle from the coir toy. Tool/ item should be of reputed make and conforming to standard quality	Cutting and folding makes easier
Heavy Duty Scissors		10 inch Heavy Duty High Carbon Steel Professional Fabric Scissors with Industrial Strength for Leather Sewing Shears for Tailoring for Home Office Artists Dressmakers Tool/ item should be of reputed make and conforming to standard quality	Advanced scissor to cut the threads and extra fibre
Coir Mat Frame		For 48" * 30" mats Mild Steel frame Tool/ item should be of reputed make and conforming to standard quality	Artisans will be able to make frame mats at home even without the use of electric power
Measuring Tape		Length : 5Mtr. /19mm, Width : 9mm Tool/ item should be of reputed make and conforming to standard quality	Easier measurement.
Needle and cotton threads		6 Inch long aluminium needle set of 10. 60 metres, 20 grams cotton threads of different colours	Needle and threads of are used for stitching

		Tool/ item should be of reputed make and conforming to standard quality	the coir product fibres together.
--	--	---	-----------------------------------





Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Grade I mixed white coir fiber – 30 kg Bale		Length – 5 to 25 cm Moisture – Less than 15% Impurities – Less than 3% Tool/ item should be of reputed make and conforming to standard quality	Ready to use Mixed White Coir Fiber, 1Kg is for Rs. 16. (200 Kg).
Aluminum Wires		164 Feet Aluminum Wire Silver Bendable Metal Craft Wire for Beading Jewelry Silver Beading Wire (Diameter : 1.5 mm). Tool/ item should be of reputed make and conforming to standard quality	Used for stiffness as an armature


Type D: Mat Weaver, Mat maker

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Bamboo Splitter		99mm mm Width 290 x Height 50 x Length 110mm Weight (approx.): 1 kg 300 g Tool/ item should be of reputed make and conforming to standard quality	-Splits the Bamboo into 5 to 6 pieces at a time
Electric Planer		1mm Electric Planer 17000 RPM for Wood Planing & Rebating Applications, Copper Tool/ item should be of reputed make and conforming to standard quality	-Smoothens the bamboo slivers to bring out the fine quality product
Normal Sewing Machines		Single Needle Lockstitch Direct Drive Machine. 550 watts motor powers the machine enabling it to stitch at speeds as high as 5000 SPM (stitches per minute), IS 1610:2000 Tool/ item should be of reputed make and conforming to standard quality	-Specialized sewing machines can replicate the stitching process used in traditional stitched mats.
Heavy duty Cutters		Item Weight-540 g Item Height-16 Millimeters Item Width-5.2 Centimeters Tool/ item should be of reputed make and conforming to standard quality	-Heavy duty Cutters are used to trim/cut the excess bamboo/ other material/ slivers to make them uniform in length.






Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Permanent Fabric Dyes		Tool/ item should be of reputed make and conforming to standard quality	Different Colour Dyes are used to make the bamboo mats more attractive in look. (5-6 colours)

MALAKAR

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Advanced Needles		6 Inch long aluminium needle set of 10. Needle Extra Fine Thin Beading Needles Big Eye Beading Needles, Long Straight Needles Bead Needles Hand Sewing Needles with Threader, Thimble for Mala Making. Tool/ item should be of reputed make and conforming to standard quality	Facilitates threading beads onto the string, making the process efficient and precise, even with smaller beads.
Scissors each one		(1 set (3 units) - Size 8", 6", 4") Tool/ item should be of reputed make and conforming to standard quality	Easily cuts the threads safely
Water spray bottle		1000 ml	Easy spray of water instead of using hand to sprinkle water on flowers
Bead reamer		Overall Length: 5-3/4". Working Length: 5/8" Diameter: 0.5 to 0.7mm Nickel Titanium Reamer "S" Shaped Cross Section Double Helix design Wood Handle Tool/ item should be of reputed make and conforming to standard quality	Ensures smooth holes in beads for easy threading, preventing thread breakage and allowing seamless stringing.
Water Bucket		Material - Plastic Item Weight- 405 Grams. Product Dimensions- 32L x 18.5W x 28.5H Cm. Capacity - 13 litres. Handle Material- Polypropylene Tool/ item should be of reputed make and conforming to standard quality	

Part 2: Accessories/Consumables/Safety Gears




Name	Image	Specifications	Usage/Benefits
Jewel beads (ceramic, glass, pearl, metal, bone, stone, horn, etc.)		Glass Beads (5 Kg)- 3000 Brass Beads (2 Kg)- 3100 Stone Beads (60 Pieces)-1200 Wooden Beads (2 Kg)- 1000 Tool/ item should be of reputed make and conforming to standard quality	Diverse materials offer unique designs, textures, and colors. They add elegance and variety to create eye-catching jewelry.
Thick and colorful Threads		Different types and colours of threads are used in making malas. (3 sets of all each type: white, grey, yellow, brown, pink, violet, light blue, and dark blue.) Tool/ item should be of reputed make and conforming to standard quality	Gives rich looks to the mala making
Colour Papers		200 pc set for Rs 1000, 30*15 cm, and and 100 GSM thickness (different colours of papers) Tool/ item should be of reputed make and conforming to standard quality	Use to decorate the bouquet
Colour ribbons		12 sets of colour ribbons . Width: 1/2inch, Length: 10m)(Violet, Light Blue, Pink, Green, Red, Orange, Yellow, White, Black, Grey, Brown, Dark Blue) 2 sets will be given Tool/ item should be of reputed make and conforming to standard quality	Use to decorate the bouquet
Sponge		20 pcs	Use to fix the flowers





MASON



Type A: Brick Mason

Section A: Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Wheel Barrow		<p>Size/Dimension: With Single rubber wheel galvanized body: L 760 x W 450 x D 300 mm · Chassis: Heavy Duty, wheel Robust Steel Chassis angle and pipe structure Body: Made from 14 swg sheet Capacity: Min. 200 Kg.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>By utilizing a Wheelbarrow, material can be easily transported from one point to another in larger quantities. This efficiency allows the work to be completed faster, as it reduces the time and effort required to move materials manually. The increased capacity of a wheelbarrow helps streamline the construction process, leading to quicker project completion.</p>
Laser beam Measurement		<p>Battery 2x1.5 V, AAA, Material: Plastic Display : LCD Measurement range : upto 40 meter Measurement time: less than 0.5 Second Data storage: Upto 99 measurements Accuracy: Upto +/- 2 mm Water resistant: IP 54 CE/ISI marked Warranty: One year Tool/ item should be of reputed make and conforming to standard quality</p>	<p>A laser beam measurement instrument is a tool that makes measurements more accurate in construction work. In bricklaying, the laser beam creates a clear line for bricklayers to follow, so they can lay bricks in a straight and level way.</p>
Cross Line Laser Level		<p>With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/-1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V</p>	<p>-It has a ¼ inch thread which makes it compatible with tripods to offer high precision</p> <p>- It is engineered to guide the user with accurate laser projected lines</p>





		<p>Laser power: Minimum 30 mw Material: High density plastic</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	
Brick Hammer		<p>Head Material: Hardened steel for durability. Head Shape: Dual-sided, one side for splitting and the other for trimming. Sizes: Typically, around 16 inches in length. Handle: Wooden or fiberglass for comfortable grip. Used for cutting and shaping bricks, stones, and masonry units in construction.</p> <p>Reputed and standard make Tool/ item should be of reputed make and conforming to standard quality</p>	<p>It is used for rough cutting of bricks in different shapes and sizes. One end of the hammer is square, and another end is sharp-edged. It has one flat traditional face and a short or long chisel shaped blade. It is also used to push the bricks if they come out from the course line.</p>
Bricklaying Trowel		<p>round point brick trowel, with wood handle Blade length: 200mm +/- 2mm Blade width: 120mm +/-2mm Handle length: 140mm +/-10mm High grade steel, Hardened and tempered, ground polished.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>The trowel's design makes the bricklaying process quicker and more efficient, saving time and effort. It's an essential tool for bricklayers to achieve good results in their work.</p>
Spirit Level 300 mm		<p>Size. 30 cm.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Using spirit level helps in fast and accurate work, especially when leveling walls. It eliminates the need for a line dori and straight edge, making the leveling process more efficient</p>
Drafting Chisel		<p>Blade Material: High-carbon steel for strength. Blade Shape: Wide, flat edge with beveled sides. Sizes: Various lengths, typically 2 to 4 inches wide. Handle: Often made of wood, rubber, or plastic for grip. Used for cutting and shaping bricks,</p>	<p>A drafting chisel, also known as a brick chisel, is a specialized tool used in masonry work. It is used in conjunction with a hammer to cut bricks into required sizes and shapes.</p>




		stones, and masonry materials in construction. Tool/ item should be of reputed make and conforming to standard quality	
The Electric Repair Tool Kit		Hand Tool Kit for Home & DIY Use (126-Piece) - Includes Screwdriver, Wrench, Ratchet, Utility Knife, Saw, Claw Hammer Tool/ item should be of reputed make and conforming to standard quality	. The Electric Repair Tool Kit is perfect for handling small electrical repair works. With this kit, you'll have the essential tools needed to fix minor electrical issues efficiently
Aluminum Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	Levelling and use for base of spirt level to check in extended length

Type B: Tile Mason

Details of Existing & Proposed Tool Kit Item




Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/-1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Minimum 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	-It is engineered to guide the user with accurate laser projected lines.
Mixing machine		Dimensions -59 x 28 x 21 cm; Weight -3.9 Kilograms. Machine 1300 watt copper winded motor and chrome-plated iron rod Tool/ item should be of reputed make and conforming to standard quality	-For mixing of Adhesive / Mortar very fast and right consistency.
Angle grinder with polishing wheel		No load speed: Min 11000 Rpm, Power: Min 800 W, Wheel dia. Min. 100 mm 220 V, 50 Hz Tool/ item should be of reputed make and conforming to standard quality	-Multipurpose and time saving
Tile Leveling Pliers		Material- Metal, handles covered with plastic Size 24 cm x 12 cm Weight: Min 250 gms Tool/ item should be of reputed make and conforming to standard quality	-Accurate Leveling System Advantages: Very easy to learn and use at all skill levels. Installation is twice as fast and virtually eliminates lippage. Prevents tiles from moving while drying. Re-usable wedge. More profitable for the installer. Ideal for tiles

			300mm or larger. Reduces installer fatigue and stress. Lippage free, level surface drastically reduces the need for grinding.
Drill Machine		500W 500 RE Tool Set (Blue) & Hand Tool Kit (Blue, 12 Pieces) Combo Tool/ item should be of reputed make and conforming to standard quality	Using a drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction process. This saves time and effort, making the overall project progress at a faster pace
Aluminum Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	-Levelling and use for base of spirit level to check in extended length
Notched trowel		Blade Material: Hardened steel. Notch Patterns: Varies for tile adhesive type and size. Sizes: Typically, 9 inches in length. Handle: D-shaped or ergonomic for control. Used for spreading adhesive in tiling. Tool/ item should be of reputed make and conforming to standard quality	-Notched trowels scoop thin-set, a cement-based mortar adhesive, and spread it over floors and walls. The distinctive notches on the sides of the trowel create an even base of ridged mortar. When a tile is placed, the mortar compresses to provide a complete bond between the tile and the wall/floor.

Part 2: Accessories/Consumables/Safety Gears




Name	Image	Specifications	Usage/Benefits
Safety shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard option	Safety shoes is paramount as a piece of safety equipment PPE that is essential for workers who are exposed to hazardous situations and environments. They help protect the feet from potential occupational hazards such as falling objects, sharp






		protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	objects, electrical dangers, slipping, and more
Safety Helmet		Design: Hard shell made of impact-resistant materials like ABS or HDPE. Features: Adjustable suspension system, chin strap, ventilation holes. Tool/ item should be of reputed make and conforming to standard quality	-Provides head protection against falling objects, impacts, and electrical hazards on construction sites and other hazardous environments. -Complies with safety standards to ensure proper safeguarding.
Safety Jacket		Material: High-visibility polyester or similar fabric. Features: Reflective strips, zip or Velcro closure, pockets. Sizes: Various sizes for different body types. Purpose: Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions. Tool/ item should be of reputed make and conforming to standard quality	Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions.
Safety goggles		Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame. Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries. Complies with safety standards to ensure proper protection. Tool/ item should be of reputed make and conforming to standard quality	Safety goggles are tight-fitting eye protection that completely cover the eyes, eye sockets and the facial area around the eyes and provide protection from impact, dust, mists, and splashes



Type C: Plaster Mason

Details of Existing & Proposed Tool Kit Item

Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/-1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Minimum 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	- It has a ¼ inch thread which makes it compatible with tripods to offer high precision.
Wheel Barrow		Size/Dimension: With Single rubber wheel galvanized body : L 760 x W 450 x D 300 mm · Chassis : Heavy Duty, wheel Robust Steel Chassis angle and pipe structure · Body : Made from 14 swg sheet Capacity: Min. 200 Kg. Tool/ item should be of reputed make and conforming to standard quality	This efficiency allows the work to be completed faster, as it reduces the time and effort required to move materials manually.
Mortar Mixing tray		Material: Mild steel – 5 mm thick Size: 6x4 Feet Tool/ item should be of reputed make and conforming to standard quality	The tray's design prevents any excess mortar or concrete from spilling or dripping, ensuring efficient and precise application. Additionally, the metal tray prevents water from leaking out of the mortar or concrete mix, maintaining the right consistency and strength of the material





Angle grinder		No load speed: Min 11000 Rpm, Power: Min 800 W, Wheel dia. Min. 100 mm 220 V, 50 Hz Tool/ item should be of reputed make and conforming to standard quality	Multipurpose and time saving
Steel Float		Blade Material: Durable, non-reactive materials like magnesium or aluminum. Blade Type: Flat or slightly curved. Sizes: 12 inches in length, 3 inches in width. Handle: Often made of wood, aluminum, or other lightweight materials. Used to smooth and level wet concrete surfaces. Tool/ item should be of reputed make and conforming to standard quality	A finishing trowel/ steel float is an important tool for many types of construction. It's used to smooth out materials like mortar, plaster, and concrete. It has a very straight, angled blade designed to fit precisely into right angles and smooth out the surface of the mixture in straight lines.
Quality Spade		Weight : Min. 1.9 Kg. Wooden handle 75- 90 cm length Tool/ item should be of reputed make and conforming to standard quality	Mixing of Mortar
Quality Mortar Pan/Ghamela		Galvanised steel made :Min 3mm thick, Semi circular shape , Dia 1.5 feet Tool/ item should be of reputed make and conforming to standard quality	-A normal Ghamela with sharp edges can be hazardous and may cut your hand during use.
Pointed Trowel		Size 4.5 inch x 2.25 inch Quality: Metal blade durable wooden handle length of 5 inches, Tool/ item should be of reputed make and conforming to standard quality	It is used for filling the mortar at corners and edges




Drill Machine		500W 500 RE Tool Set (Blue) & Hand Tool Kit (Blue, 12 Pieces) Combo Tool/ item should be of reputed make and conforming to standard quality	Using a Drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction process. This saves time and effort, making the overall project progress at a faster pace
Aluminum Straight Edge		4 inches x 1 inches x 5 feet Tool/ item should be of reputed make and conforming to standard quality	Levelling and use for base of spirit level to check in extended length

Type D: Concrete Mason


Details of Existing & Proposed Tool Kit Item




Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Hand Vibrator		1200 W, copper armature, needle pipe, 35 mm dia made of wire braded hose pipe 3 mtr length 13000rpm Tool/ item should be of reputed make and conforming to standard quality	Concrete vibrators eliminate air bubbles by vigorously shaking the freshly poured concrete.
Cross Line Laser Level		With 360 degree horizontal and 180 degree vertical line, working range 10-25 mtr, +/- 3 degree self-levelling range. Levelling Accuracy : +/-1.5 mm in a range of 5mtr -7 mtr length Working voltage 6V, Laser power: Min 30 mw Material: High density plastic Tool/ item should be of reputed make and conforming to standard quality	It has a ¼ inch thread which makes it compatible with tripods to offer high precision. -It has a 4-degree self-levelling range and a visible red laser range of 36 feet.
Wheel Barrow		Size/Dimension: With Single rubber wheel galvanized body: L 760 x W 450 x D 300 mm · Chassis : Heavy Duty, wheel Robust Steel Chassis angle and pipe structure · Body : Made from 14 swg sheet Capacity: Min. 200 Kg. Tool/ item should be of reputed make and conforming to standard quality	By utilizing a Wheelbarrow, material can be easily transported from one point to another in larger quantities. This efficiency allows the work to be completed faster, as it reduces the time and effort required to move materials manually. The increased capacity of a wheelbarrow helps streamline the construction process, leading to quicker project completion.
Pointed Trowel		Size 4.5 inch x 2.25 inch Quality: Metal blade durable wooden handle length of 5 inches, Tool/ item should be of reputed make and conforming to standard quality	The trowel's design makes the bricklaying process quicker and more efficient, saving time and effort. It's an essential tool for bricklayers to achieve good results in their work

Quality Spade		Weight : Min. 1.9 Kg. Wooden handle 75- 90 cm length Tool/ item should be of reputed make and conforming to standard quality	Mixing, Placing, Leveling and Smoothing of Concrete
Ghamela		Galvanised steel made :Min 3mm thick, Semi circular shape , Dia 1.5 feet Tool/ item should be of reputed make and conforming to standard quality	Transporting / Shifting concrete safely & efficiently.
Drill Machine		500W 500 RE Tool Set (Blue) & Hand Tool Kit (Blue, 12 Pieces) Combo Tool/ item should be of reputed make and conforming to standard quality	Using a Drill machine for small tasks like drilling holes for pipes or fixing conduits enables faster completion of the work. The power drill's efficiency and speed make it much quicker to create the necessary holes, allowing for a more streamlined construction process. This saves time and effort, making the overall project progress at a faster pace

Part 2: Accessories/Consumables/Safety Gears





Name	Image	Specifications	Usage/Benefits
Safety shoes		Material: Leather or synthetic upper with protective toe cap (steel or composite). Features: Slip-resistant sole, puncture-resistant midsole, cushioning. Types: Steel-toed, composite-toed, metatarsal guard options. Purpose: Provides foot protection against impact, compression, and puncture hazards in industrial and construction settings, reducing the risk of foot injuries. Tool/ item should be of reputed make and conforming to standard quality	Safety shoes is paramount as a piece of safety equipment PPE that is essential for workers who are exposed to hazardous situations and environments. They help protect the feet from potential occupational hazards such as falling objects, sharp objects, electrical dangers, slipping.




Safety Helmet		<p>Design: Hard shell made of impact-resistant materials like ABS or HDPE.</p> <p>Features: Adjustable suspension system, chin strap, ventilation holes.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>-Provides head protection against falling objects, impacts, and electrical hazards on construction sites and other hazardous environments.</p> <p>-Complies with safety standards to ensure proper safeguarding.</p>
Safety Jacket		<p>Material: High-visibility polyester or similar fabric. Features: Reflective strips, zip or Velcro closure, pockets. Sizes: Various sizes for different body types.</p> <p>Purpose: Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Enhances visibility and safety in low-light or high-risk environments, often worn by construction workers, road crews, and others working in hazardous conditions.</p>
Safety goggles		<p>Wrap-around style with clear, impact-resistant lenses. Material: Polycarbonate lenses for durability and protection. Features: Anti-fog coating, adjustable strap, cushioned frame.</p> <p>Purpose: Shields eyes from debris, chemicals, and potential hazards in various work environments. Essential for eye protection and preventing injuries.</p> <p>Complies with safety standards to ensure proper protection.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Safety goggles are tight-fitting eye protection that completely cover the eyes, eye sockets and the facial area around the eyes and provide protection from impact, dust, mists, and splashes.</p>


FISHING NET MAKER

Details of Existing & Proposed Tool Kit Items



Part 1: Equipment






Name	Image	Specifications	Usage/Benefits
Awl		<p>Dimensions Length: 10 cm to 20 cm Diameter: 2 mm to 5 mm Tip angle: 30 degrees to 60 degrees Hole diameter: 1 mm to 3 mm</p> <p>Material: metal</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Precise Hole Creation: An awl allows for accurate and controlled piercing of holes in netting materials.</p> <p>Efficient Net Construction</p> <p>Neat and Uniform Holes</p> <p>Improved Thread Placement: Awls help guide twine through holes.</p> <p>Quick Repairs</p>
Rope Cutter		<p>Material- Steel</p> <p>Dimension- 6 "</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Efficient Cutting.</p> <p>Clean and Neat Cuts</p> <p>Time-Saving Repairs.</p> <p>Reduced Tangling</p> <p>Precise Mesh Adjustments</p>
Scissors		<p>Material: Stainless steel</p> <p>Size: 12" and 6" One each</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Precision Cutting</p> <p>Efficient Net Construction</p> <p>Neat Edges</p> <p>Reduced Tangling</p> <p>Improved Mesh Alignment</p>
Netting Shuttle		<p>Make: plastic</p> <p>Sizes: 5"6"7"8"10" 12" plastic shuttles one each</p>	<p>Efficient Net Construction: Netting shuttles allow for the precise and uniform threading of twine through net meshes.</p> <p>Enhanced Strength and Durability</p> <p>Reduced Risk of Tangling</p>



		<p>Dimensions: pitch can vary from 6 mm to 14 mm depending on the type and size of the net</p> <p>Unit: 2 set</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	
Needle set		<p>Make: Plastic</p> <p>Size: 5", 6", 7" needles 5 nos. each (15 pieces in set) Unit: 3 set</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Net Repair- Helps in repairing the damaged sections of fishing nets.</p> <p>Reduced Drag</p> <p>Customization</p> <p>Ease of Handling</p>
Fid/Spike		<p>Material: metal and wooden handle</p> <p>To make a fishing net with a 2-inch mesh size, you can use a fid that is 1.75 inches long and 0.25 inches wide at the widest point</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Precise Splicing</p> <p>Efficient Thread Insertion</p> <p>Enhanced Net Strength</p> <p>Tight Knots</p> <p>Quick Repair</p> <p>Reduced Tangling</p>
Thimble		<p>Material: Stainless steel</p> <p>Size: 12 mm 16 mm 18 mm 22 mm</p> <p>Shape: Round, oval, pear-shaped, etc.</p> <p>Surface: Smooth, grooved, serrated, etc.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Provides precise control for handling fine threads and knots.</p> <p>Prevents needle pricks and reduces hand fatigue</p> <p>Enhances dexterity, allowing intricate weaving and mending.</p> <p>Efficient Knotting</p>

Netting mesh gauge		<p>Scales- 12" and 6"</p> <p>Quantity : 2</p> <p>Material: plastic</p> <p>Application: Measuring mesh size of fishing nets</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Accurate Mesh Measurement</p> <p>Regulatory Adherence</p> <p>Consistency in Gear</p> <p>Customization</p>
---------------------------	---	---	--

Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Net Material / Fiber		<p>(450rs/kg x 6kg)</p> <p>HDPE- 450 rs per Kg)</p> <p>Net Material: HDPE</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Strength and Durability</p> <p>Lightweight</p> <p>Reduced Environmental Impact</p> <p>Flexibility</p> <p>Resistance to UV and Chemicals</p>
Mesh Repair Twine		<p>Material: nylon, polypropylene, polyester, or HDPE material</p> <p>HDPE twine 0.5mm, 0.75mm,1mm,1.2mm,1.5mm,2mm,2.5mm 3kg</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Quick Repairs</p> <p>Cost Savings</p> <p>Reduced Waste</p> <p>Customizable Repairs</p> <p>Enhanced Net Integrity</p>
Plastic sheet		<p>Dimension: 10ft x 10ft</p> <p>Material: Plastic fabric</p> <p>Color: any color</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>The smooth surface of plastic sheets reduces friction, allowing for smoother and more efficient net weaving and repairing.</p> <p>Used for spreading the tools and net for convenient working</p>



Gloves		<p>Material: Cotton elastic cuffs, anti-slip or anti-cut coating</p> <p>Types: Mechanical glove</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Hand Protection</p> <p>Reduced Risk of Cuts and Abrasions</p> <p>Improved Grip</p> <p>Prevention of Skin Irritation</p> <p>Comfort and Prolonged Use</p>
Netting Stretchers (Ropes)		<p>Material: Ropes</p> <p>Weight: Depends on the material and size 2kg</p> <p>Features: Adjustable, foldable, easy to use, etc.</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Uniform Mesh Size.</p> <p>Proper Tension</p> <p>Enhanced Knot Security</p> <p>Efficient Repair</p> <p>Tailored Customization</p>
Synthetic Floats and Sinkers		<p>Material: Synthetic PVC etc</p> <p>Size: 110x70x20 mm Buoyancy : 300 gm</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Floats: Enhance buoyancy, keeping the fishing net afloat for better visibility and reduced entanglement.</p> <p>Sinkers: Improve net sinking, aiding in targeting specific water depths and improving catch efficiency during fishing operations.</p>
Steel Wire Cutters		<p>Material-Steel, PVC sleeve</p> <p>Size: 8"</p> <p>Tool/ item should be of reputed make and conforming to standard quality</p>	<p>Efficient Cutting:</p> <p>Precise cutting</p> <p>Durability</p> <p>Reduced effort</p>
Pliers		<p>Material- Steel/Galvanized Iron</p> <p>Types: Wise grip plier</p>	<p>Secure Knots: Pliers provide a strong grip, helping fishermen tie knots securely in netting materials.</p>







		Long nose 8"	Cutting and Trimming Bending and Shaping
		Tool/ item should be of reputed make and conforming to standard quality	
Net washing brushes		Normal Brushes Material: Plastic Size: 17.6 x 11.8 x 7.4 cm Tool/ item should be of reputed make and conforming to standard quality	Effective Cleaning Prevents Fouling Maintains Efficiency Prolongs Lifespan Reduces Corrosion
Tape measure		Tape measure that has a width of 0-20 mm and a length of 10-20 m. Material- Steel Type Rolling type Tool/ item should be of reputed make and conforming to standard quality	Accurate Mesh Sizing Precision in Net Construction Proper Knot Placement Efficient Repairs Preventing Waste





TAILOR (DARZI)

Details of Existing & Proposed Tool Kit Items



Part 1: Equipment

Name	Image	Specifications	Usage/Benefits
Industrial Sewing Machine		<ul style="list-style-type: none"> -Snap on pressure foot and pressure adjuster -Flatbed zig zag machine -7 to 9 stitch functions -Single touch reverse stitch - Minimum 700 SPM - With inbuilt or additional motor -Auto tripping bobbin winder -Body construction- Flatbed -2 dials for pattern selector & stitch length control -Open type shuttle -Maximum zig-zag width- 5mm -Maximum stitch length- 4 mm -Operable with foot treadle as well as by motor -Motor power minimum 37W, 220V, 50HZ, 5000 rpm -With Stand and Table -With 2-year onsite warranty -Complete with stand and table -Laminate Board Table Size(inch): 32x16x1 (LxWxT) -MS Pipe Stand powder coated, 750mm Height, weight minimum 9 Kg -Standard Accessories including Bobbins, Screwdriver, Instruction manual Needles, Oil to be supplied. -Tool/ item should be of reputed make and conforming to standard quality 	
Bobbin & Bobbin Case		<p>1 High quality bobbin case, 5 high quality aluminium bobbins, 1 pair of right & left single/zipper foot, 1 gathering foot, 1 box [10nos] sewing machine needle of size 14 and 1box [10nos] sewing machine needle of size 16.</p>	The bobbin holds the lower thread of the machine. Each stitch is made by catching the bottom thread from the bobbin with the top thread that comes through the needle

		Tool/ item should be of reputed make and conforming to standard quality	
Tailoring Scissors		Plastic handled stainless steel scissor for cutting paper. Tool/ item should be of reputed make and conforming to standard quality	Tailor's scissors are usually shorter. They are a great choice for sewing and crafting as they can cut multiple layers of fabric with ease. The thicker blades of tailor's scissors have the edges that can cut all the way to the tip
Seam Ripper		Handy seam ripper with plastic cover, used for opening stitches for sewing and craft works, Length : Large Size(LxW):30 x 5 mm, Small Size(LxW): 60 x 5 mm, Handle Length (in mm) : 35, 98 Tool/ item should be of reputed make and conforming to standard quality	A seam ripper is a small sewing tool used for cutting and removing the wrong stitches
Tracing wheel		Tracing wheel with minimum length:- 15.2cm, and wheel gear diameter:- 2.2cm. Tool/ item should be of reputed make and conforming to standard quality	Tracing wheel is pointed and very sharp, transfers marking onto a clean sheet of paper. Tool is often used when retracing patterns or when transfer draped muslin onto paper.
Tailor's Chalk		Extra smooth tailoring, sewing markers with fashion designing triangle scales, set of 15 dust free tailoring chalks	Tailors chalks are used for temporary guide markings on fabric to indicate where it needs to be cut or left out, shortened or lengthened, or where a pleat needs to be made
Safety Pins		Steel safety pins of medium (3.5cm) and large sizes (5.5cm)	Safety pins are mostly used to fasten pieces of fabric or clothing together
L Scale		Metallic scale	Drafting equipment is used for making paper patterns. This is the second stage of pattern making. Using the measurements taken, the drafting is carried out

			according to the design of a garment
Hip Curve		PVC Tool/ item should be of reputed make and conforming to standard quality	As the name suggests, this ruler is ideal for drawing smooth curves around the hips and waistline. It helps in creating flattering silhouettes and accurate darts
French Curve		PVC Set of 3 Tool/ item should be of reputed make and conforming to standard quality	French curve is made of transparent plastic. It helps in marking shapes of the neck, depth of sides and garments bottom. Essential tool for perfect shaping armholes, necklines, and collars.
Measuring Tape		PVC measuring tape of 7.5 m and 0.5" width	Measuring tape mostly use for the Measurements of garments can also contribute to minimize production time and reduce production cost
Thread Cutter		Metallic	Usage of thread cutter to remove the extra thread from the garment

Part 2: Accessories/Consumables/Safety Gears

Name	Image	Specifications	Usage/Benefits
Threads		180 mts polyester thread used in hand & machine work (set of 100)	Threads can be made from fiber types such as cotton, linen, silk, rayon, nylon, polyester it is used to form the stitches that hold the fabric parts together. They can be described by fiber type, constriction, and size
Stationary		Pencil (HB)	Pencil is used to marking on brown paper & fabric also

Delivery Packaging Specifications are as follows:

1. Prepare a composite package of equipment as per the toolkit list for each trade.
2. Sealed toolkit packages are to be individually labelled mentioning the name of the equipment on the package cover.

ANNEXURE 4

DEFINITIONS:

- a. **C1 India Private Limited:** Service provider to provide the e-Tendering Software and facilitate the process of e-tendering on Application Service Provider (ASP) model.
- b. **NSDC e-Procurement Portal:** An e-tendering portal of National Skill Development Corporation (“NSDC”) introduced for the process of e-tendering which can be accessed on <https://nsdc.eproc.in>.

Pre-requisites:

- 1) It is mandatory for all the bidders to have Class-III Digital Signature Certificate (With Both DSC Components, i.e. Signing & Encryption) from any of the licensed Certifying Agency under CCA, Ministry of Electronics and Information Technology, Government of India to participate in e-tendering portal of NSDC. Bidders can see the list of licensed CA's from the link www.cca.gov.in
- 2) C1 India Pvt. Ltd. also facilitate Class III Digital Signature Certificate (With Both DSC Components, i.e. Signing & Encryption) to the bidders. Bidder may contact C1 India Pvt. Ltd. at mobile no. +91-7291981138 for DSC related queries or can email at vikas.kumar@c1india.com.
- 3) To participate in the online bidding, it is mandatory for the Applicants to get themselves registered with the NSDC e-Tendering Portal (<https://nsdc.eproc.in>)
- 4) System Requirement/ Registration Manuals/ Bid Submission Manuals are available at the NSDC e-Tendering Portal (<https://nsdc.eproc.in>)
- 5) For helpdesk, please contact Help Desk Nos. +91-124-4302033 / 36 / 37
- 6) Participants are requested to email their issues to helpdesk at nsdcsupport@c1india.com. This will help serving the participant better
- 7) The amendments/ clarifications to the tender, if any, will be posted on the NSDC e-Tendering Portal (<https://nsdc.eproc.in>)
- 8) The Bidder may modify or withdraw their bid after submission prior to the Bid Due Date. No Bid shall be modified or withdrawn by the Bidder after the Bid Due Date and Time.
- 9) It is highly recommended that the bidders should not wait till the last date of bid submission to avoid complications like internet connectivity issue, network problems, system crash down, power failure, browser compatibility issue, system compatibility issue, improper digital signature certificate problem etc. In view of this context, neither M/s National Skill Development Corporation nor M/s. C1 India Pvt. Ltd will be responsible for such eventualities.-

Draft
AGREEMENT
BETWEEN
NATIONAL SKILL DEVELOPMENT CORPORATION AND
[<_____>]

This Agreement ("Agreement") is made on _____ ("Execution Date"), between:

- 1) **National Skill Development Corporation**, a company incorporated under the Companies Act, 1956, and having its registered office at 5th and 6th Floor, Kaushal Bhawan, Adjacent to Hotel Leela Palace, New Moti Bagh, New Delhi- 110023 (hereinafter referred to as "**NSDC**" which expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and include its successors-in-interest and assigns); and
- 2) _____, a _____ incorporated or formed under the _____, and having its registered office at _____ (hereinafter referred to as "**Service Provider**" whose expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and successors-in-interest and permitted assigns).

NSDC and Service Provider shall hereinafter be individually referred to as "**Party**" and collectively as "**Parties**".

WHEREAS

- (A) NSDC is a non-profit company incorporated under the Companies Act, 1956 ("**Act**") and has the license under section 25 of the said Act (corresponding to section 8 of the Companies Act 2013) and established as a public-private partnership with the object of developing unskilled and semi-skilled labour force into productive and skilled labour and to establish, manage, run and support institutes and polytechnics for achieving this objective ("**Business**").
- (B) NSDC has through a request for proposal dated _____, ("**RFP**") to be read along with the corrigendum issued with the RFP, if any, has called for proposals/bids to provide services as enumerated in Schedule I ("**Services**") to this Agreement.
- (C) The Services Provider submitted a bid response dated _____, ("**Bid Response**") pursuant to the RFP where the Services Provider has represented to NSDC that it is an experienced, fully qualified, and capable of providing the Services.

NOW, THEREFORE, in consideration of the mutual promises, representations, and warranties, the Parties agree to the following terms and conditions and to be bound thereby

1. Definition and Interpretation

- 1.1. In this Agreement, including in the Recitals hereof, the following words, expressions and abbreviations shall have the following meanings, unless the context otherwise requires.

- a) "**Applicable Law**" shall mean



- in, ordinance, rule, judgment,

notification, rule of common law, order, decree, bye-law, government approval, directive, guideline, requirement or other governmental restriction, or any similar form of decision of, or determination by, or any interpretation, policy or administration, having the force of law of any of the foregoing, by any Authority having jurisdiction over the matter in question, whether in effect as of the date of this Agreement or thereafter;

- b) **“Agreement” or “Contract”** means this legally binding written Agreement signed between the NSDC and the Service Provider;
- c) **“Authority”** shall mean any national, state, provincial, local or similar government, governmental, regulatory or administrative authority, branch, agency, any statutory body or commission, or any non-governmental regulatory or administrative authority, body or other organization to the extent that the rules, regulations and standards, requirements, procedures or Orders of such authority, body or other organization that have the force of Applicable Law or any court, tribunal, arbitral or judicial body, or any stock exchange of India or any other country;
- d) **“Confidential Information”** includes the contents of this Agreement and all content created pursuant to this Agreement. It also includes, with respect to NSDC and the Service Provider any information or trade secrets, schedules, business plans including, without limitation, commercial information, financial projections, client information, technical data, developments, intellectual property, ideas, know-how, marketing materials, business information, accounting and financial information, credit information, various types of lists and databases, administrative and/or organizational matters of a confidential/secret nature in whatever form which is acquired by, or disclosed to, either Party pursuant to this Agreement, but excluding information which at the time it is so acquired or disclosed, is already in the public domain or becomes so other than by reason of any breach or non-performance by the receiving Party of any of the provisions of this Agreement and includes any tangible or intangible non-public information that is marked or otherwise designated as ‘confidential’, ‘proprietary’, ‘restricted’, or with a similar designation by the disclosing Party at the time of its disclosure to the receiving Party, or is otherwise reasonably understood to be confidential by the circumstances surrounding its disclosure;
- e) **“Force Majeure”** means an act of God, war, civil disturbance, strike, lockout, epidemic, pandemic, war, riot, act of terrorism, flood, fire, explosion or legislation or restriction by any government or other authority, or any other similar circumstance beyond the control of any Party, which has the effect of wholly or partially suspending the obligations hereunder, of the Party concerned during the continuance and to the extent of such prevention, interruption or hindrance. Force Majeure shall not include (i) any event which is caused by the negligence or intentional action of a Party or by or of such Party’s agents or employees, nor (ii) any event which a diligent Party could reasonably have been expected both to take into account at the time of being assigned the work and avoid or overcome with utmost persistent effort in the carrying out of its obligations hereunder. Force Majeure shall not include insufficiency of funds or manpower or inability to make any payment required for execution of services under this Contract.;

- f) **“Intellectual Property”**

- all mean any and all trademarks

and services marks (whether or not registered), copyrights, design rights (whether or not registered), moral rights, patents, performance rights, database rights, Internet, WAP and other new media rights, names, logos and codes, publicity rights, and any and all other intellectual property and proprietary rights of any nature whatsoever that subsist, or may subsist, or be capable of registration, in each case whether in relation to the Services or otherwise, and which exist, or may exist, in any jurisdiction anywhere in the World;

- g) **“INR” or “Rs.”** shall mean Indian Rupees;
- h) **“RFP”** means Request for Proposal for Selection of agency for supplying of Pradhan Mantri VishwaKarma Yojana Tool Kits;
- i) **“Order”** shall mean any order, injunction, judgment, decree, ruling, writ, assessment or award of a court, arbitration body or panel or other Authority.

1.2. Interpretation

- a) Heading and bold typeface are only for convenience and shall be ignored for the purpose of interpretation;
- b) Terms may be defined in clause 1 above, or elsewhere in the text of this Agreement and, unless otherwise indicated, shall have such meaning throughout this Agreement;
- c) Reference to this Agreement shall be deemed to include any amendments or modifications to this Agreement, as the case may be;
- d) References to the singular will include the plural; and
- e) References to the word “include” shall be construed without limitation.

2. Appointment of Service Provider

- 2.1. Subject to the terms of this Agreement, NSDC hereby appoints and engages the Service Provider for the Term (*defined below*), and the Service Provider hereby accepts this appointment to provide the Services as enumerated in Schedule -I.
- 2.2. The Service Provider agrees that it shall perform and render the Services as per the requirements of the NSDC. All services, functions or responsibilities which are ancillary or reasonably necessary for the performance or provision of the Services shall be deemed to be included within the scope of work of the Service Provider.
- 2.3. Except as specifically excluded, all tools and materials required by the Service Provider to perform its obligations under this Agreement shall be used by the Service Provider, at no extra cost to NSDC.

3. Consideration and Payment Terms

- 3.1. In consideration of the Services provided by the Service Provider (*as specified in Schedule I*) to NSDC, NSDC agrees to pay sufficient and valid consideration ("**Consideration**") in accordance with the payment terms outlined in Schedule II.
- 3.2. The payment of Consideration shall be due upon receipt of an invoice by NSDC, and all undisputed invoices and charges shall be paid by NSDC in INR within 15 (Fifteen) days of receiving such invoice from the Service Provider.
- 3.3. The Service Provider recognizes that payments are linked to, and dependent on the successful completion of Services, within timelines mentioned in this Agreement, and submission of all relevant deliverables sought under this Agreement.
- 3.4. All charges are exclusive of all applicable taxes that may be levied, imposed, charged or incurred. NSDC shall pay the consideration due under this Agreement (including taxes) after deducting any tax deductible at source, at the applicable rate. NSDC shall furnish a tax certificate evidencing payment of the tax deductible at source to the appropriate government entity or Authority on a timely basis.
- 3.5. All payments are inclusive of all out-of-pocket expenses. Except as provided under the Agreement, the Service Provider shall not be entitled to claim any out of the pocket expenses incurred pursuant to its performance of obligations under the Agreement.

4. **Term, Termination, and Consequence of Termination**

- 4.1. Notwithstanding the date hereof, this Agreement shall commence on the _____, ("**Effective Date**") and shall be valid for a period of three (3) years ("**Term**"). The Term can be extended or reduced depending upon the performance of the Service Provider and the requirement of NSDC.
- 4.2. Either Party may terminate this Agreement at any time during the validity of this Agreement by giving 30 (thirty) days prior written notice to this effect.
- 4.3. NSDC may terminate this Agreement by giving written notice of 30 (Thirty) days to the Service Provider in the event that:
 - a) the Service Provider has committed a material breach of any of its obligations or representations and warranties hereunder which cannot be remedied.
 - b) the Service Provider has committed a material or repeated breach of any of its obligations hereunder and has failed to remedy such breach (if the same is capable of remedy) within thirty (30) days of being required by written notice so to do.
 - c) the Service Provider goes into liquidation or bankruptcy (whether compulsory or voluntary) or an administrator or receiver is appointed over the whole or any part of that Service Provider's assets or if that Service Provider enters into any arrangement for the benefit of or compounds with its creditors generally or threatens to do any of these things or any judgment is made a similar occurrence under any

jurisdiction affects that Service Provider; or

- d) the Service Provider ceases or threatens to cease to carry on business or is removed from the relevant register of companies, where applicable.
- e) the Service Provider and/or its employees, sub-contractors, sub-consultant, sub-vendors, agents have engaged in Corrupt or Fraudulent practices in executing this Agreement. The terms "corrupt" and "fraudulent" are defined in Schedule III to this Agreement.

- 4.4. Either Party's right to terminate this Agreement shall be without prejudice to the other rights and remedies it may have under Applicable Law.
- 4.5. Upon termination of this Agreement, any rights or authority granted by NSDC to the Service Provider under this Agreement shall terminate with immediate effect.
- 4.6. Within 7 (seven) business days after termination, upon the request of NSDC, the Service Provider will return or destroy, at the option of NSDC, all Confidential Information of NSDC and all materials relating to work in progress of the Services.
- 4.7. Except where the Agreement is terminated pursuant to clause 4.3 (*Termination for Corrupt and Fraudulent Actions*), all charges or amounts payable for the completion of milestones already achieved, or services already availed, whether invoiced or not, subject to the Service Provider providing suitable invoices, outstanding upon the date of termination, shall be settled within 30 (thirty) days of such termination.
- 4.8. The accrued rights of the Parties as at termination, or the continuation after termination of any provision expressly stated to survive or implicitly surviving termination, shall not be affected or prejudiced in any manner.

5. Representation and Warranties

- 5.1. Each Party represents and warrants to the other Party that:
 - a) It has full power and authority to execute, deliver and perform this Agreement;
 - b) It has taken all necessary action to authorize the execution, delivery and performance of this Agreement; and
 - c) This Agreement constitutes its legal, valid and binding obligation enforceable against it in accordance with the terms hereof.
- 5.2. The Service Provider represents and warrants that:
 - a) it possesses the necessary experience, expertise and ability to undertake and fulfil its obligations under all phases involved in the performance of its obligations under the Agreement;
 - b) all representations made by the Service Provider in its Proposal against the RFP are true and accurate; and
 - c) the Service Provider has read and understood NSDC Procurement Policy and specifically the policy on Fraud and Corrupt Practices (extracted portion in Schedule -III) and shall abide by the same.

6. Performance Guarantee

Within 21 days from the date of signing of the Framework Agreement award pursuant the RFP, the Service Provider shall furnish to the NSDC the performance security (5% of contract value) of INR_____ only (Rupees _____).

The Performance Security shall be denominated in Indian Rupees and shall be in the form of an unconditional bank guarantee issued by a nationalized/scheduled bank located in India acceptable to the NSDC, in the format provided by the Purchaser. The performance security will be returned to the Service Provider not later than end of Agreement.

7. Non – Solicitation

- 7.1. At all times during the term of this Agreement and thereafter for a period of 06 (six) months after its termination or expiration hereof, the Service Provider, nor any of their affiliates will, whether directly or indirectly, for itself or on behalf of any other person, (a) hire, solicit to hire, engage, or solicit to engage, whether as an employee, independent contractor, consultants or otherwise, any person who has been an employee, independent contractor, consultants of the Company or any of their subsidiaries (each a “**Restricted Person**”) at any time during the then-preceding 12 (twelve) months; (b) persuade any Restricted Person to leave his or her employment or engagement with the Company or any of their subsidiaries; or (c) otherwise interfere in any way with the relationship between the Company or any of their subsidiaries, on the one hand, and any Restricted Person, on the other hand.

8. Compliance with Laws

Each Party shall at all times and at its own expense (a) strictly comply with all Applicable Laws, now or hereafter in effect, relating to its performance of this Agreement; (b) pay all fees and other charges required by such Applicable Laws; and (c) maintain in full force and effect all licenses, permits, authorizations, registrations and qualification from any Authority to the extent necessary to perform its obligations hereunder.

9. Intellectual Property Rights

- 9.1. The Service Provider acknowledges that any Intellectual Property Rights already owned by NSDC shall remain the sole property of NSDC. However, so as to enable the Service Provider to provide the Services and to comply with its obligations under this Agreement, NSDC acknowledges that the Intellectual Property Rights or part thereof owned by NSDC will need to be made available to Service Provider and such property is made available only to enable the Service Provider to provide Services under this Agreement.
- 9.2. The Service Provider also acknowledges all inventions, discoveries, improvements, copyrightable material, trademarks ideas, and concepts, which the NSDC may make or conceive, either solely or jointly with others, during the Agreement between the Parties, shall be deemed to be the sole property of the NSDC in perpetuity and exclusively, Intellectual Property Rights in any deliverables created under this Agreement, in the course of provision of the Services. This includes reports, tables, presentations, handbook developed specifically for NSDC in furtherance of providing Services under this Agreement.

- 9.3. NSDC acknowledges that the Intellectual Property Rights owned by Service Provider, independently as separate from providing Services under this Agreement, including tools for provision of Services of this Agreement, including discussion notes, learning tools, format and similar materials developed by the Service Provider in the course of its business, shall belong to the Service Provider only.

10. Indemnification

- 10.1. The Service Provider shall defend, indemnify and hold harmless the NSDC its officers, employees, Affiliates, representatives, and agents from any claim including any third-party claims, loss, action, damage, demand, liability, expense (including fees and disbursements of counsel), judgments, settlements, and penalties of every kind arising from or in any way related to:
- i. breach of the terms of this Agreement;
 - ii. violation of any Applicable Laws; or
 - iii. any action of omission, gross negligence, wilful misconduct, or fraud committed by the; or
 - iv. the indemnification rights of the NSDC under this Agreement are independent and in addition to other rights and remedies available under Applicable Law or equity
- 10.2. Limitation of Liability
- Neither Party shall be liable for any consequential, incidental, special, indirect, exemplary or punitive damages, or damages for any loss of profits, revenue or business, regardless of the nature of the claim, even if the other Party has been notified of the possibility of such damages.
- 10.3. The Service Provider or any of its employees or vendors shall not be liable to NSDC or any other person or entity for an amount of damages under this Agreement in excess of the amount of Consideration paid or payable for the applicable Services.
- 10.4. The above limitations of liability and exclusions from liability set forth in this Clause 13 shall not apply (i) in cases of gross negligence or willful misconduct; or (ii) to any liability arising out of fraudulent conduct.

11. Use of Confidential Information

- 11.1. The Service Provider may be given access to Confidential Information from NSDC in order to perform its obligations under this Agreement.
- 11.2. The Service Provider shall:
- a) use the Confidential Information of NSDC only for purposes of complying with its obligations under this Agreement and, without limiting the generality of the foregoing, shall not, directly or indirectly, deal with, use, exploit or disclose such Confidential Information or any part thereof to any person or entity or for any purpose whatsoever (or in any manner which would benefit any competitor of NSDC) except as expressly permitted hereunder or unless and until expressly authorized in writing to do so by NSDC;
 - b) make reasonable efforts to treat, and to cause all its officers, agents, servants, employees, professional advisors, contractors to treat, as strictly

confidential all Confidential Information. In no event shall such efforts be less than the degree of care and discretion as the Service Provider exercises in protecting its own valuable confidential information. Any contractors engaged by or prospective contractors to be engaged by the Service Provider in connection with the performance of the Services shall be required to assume obligations of secrecy equal to or greater than the obligations that the Service Provider has assumed in this Agreement with respect to the Confidential Information;

- c) not, without the prior written consent of NSDC, disclose or otherwise make available NSDC's Confidential Information or any part thereof to any party other than those who need to know the Confidential Information for the purposes set forth herein;
- d) not copy or reproduce in any manner whatsoever the Confidential Information of NSDC or any part thereof without the prior written consent of NSDC, except where required for its own internal use in accordance with this Agreement; and
- e) promptly upon the request of NSDC, return and confirm in writing the return of all originals, copies, reproductions and summaries of Confidential Information or, at the option of NSDC, destroy and confirm in writing the destruction of the Confidential Information.

11.3. The obligations of confidentiality contained in this Agreement are intended to survive the termination of this Agreement.

12. Force Majeure

12.1. Neither Party shall be liable for any failure or delay in performance of any obligation, under this Agreement to the extent such failure or delay is due to a Force Majeure event. The Party having any such cause shall promptly notify the other Party in writing of the nature of such cause and the expected delay.

12.2. If, however, it is not feasible for a Party to prevent the occurrence of the Force Majeure event as a result of which that Party is prevented from performing its obligation for more than thirty (30) days due to such Force Majeure Event ("**Aggrieved Party**"), the other Party may decide to release the Aggrieved Party from performing its obligation hereunder or may modify the relevant provisions of this Agreement affected by the Force Majeure event so long as the Force Majeure event continues, in order to enable the Aggrieved Party to perform its other obligations hereunder as so modified.

13. Governing Law, Dispute Resolution and Jurisdiction

13.1. This Agreement shall be governed by the laws of India and shall be subject to the exclusive jurisdiction of the courts in Delhi to determine any disputes arising out of, or in relation to, the terms and conditions of this Agreement.

13.2. Any question, controversy, or claim arising in any way out of or in connection with this Agreement, including any question regarding the existence, validity, or termination (a "**Dispute**"), the Parties shall attempt in the first instance to resolve such Dispute through amicable discussion. If the Dispute is not resolved through such amicable discussion within 30 (thirty) days of a notice of Dispute being given or such longer period as the Parties agree to in writing, then any Party may refer the dispute for final resolution by arbitration.

13.3. Any Dispute shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Dispute Resolution Centre (IDRC) and the award of the arbitration thereof shall be binding on the

Parties. The arbitration shall be conducted in English. The seat place and venue of arbitration shall be in New Delhi, India, and shall be governed by the Arbitration and Conciliation Act, 1996.

- 13.4. The Parties to an arbitration shall keep the arbitration confidential and shall not disclose to any person, other than those necessary to the proceedings, the existence of the arbitration, any information submitted during arbitration, any documents submitted in connection with it, any oral submissions or testimony, transcripts or any award unless disclosure is required by law or is necessary for permissible court proceedings such as proceedings to recognize or enforce an award.

14. MISCELLANEOUS

- 14.1. **Amendments:** The terms and condition of this Agreement shall not be changed or modified except by written amendment mutually agreed between NSDC and the Service Provider.

- 14.2. **Assignment:** This Agreement and the rights and obligations herein may not be assigned by the Service Provider without the written consent of NSDC.

- 14.3. **Counterparts:** This Agreement may be executed in two (2) counterparts, each of which when executed and delivered shall constitute an original of this Agreement but shall together constitute one and only the Agreement.

- 14.4. **Delays or Omissions:** No delay or omission to exercise any right, power or remedy accruing to any Party, upon any breach or default of any Party hereto under this Agreement, shall impair any such right, power or remedy of any Party nor shall it be construed to be a waiver of any such breach or default, or an acquiescence therein, or of any similar breach or default thereafter occurring; nor shall any waiver of any other breach or default theretofore or thereafter occurring. Any waiver, permit, consent or approval of any kind or character on the part of any Party of any breach of default under this Agreement or any waiver on the part of any Party of any provisions or conditions of this Agreement, must be in writing and shall be effective only to the extent specifically set forth in such writing. All remedies, either under this Agreement, or by law or otherwise afforded to any Party shall be cumulative and not alternative.

- 14.5. **Entire Agreement:** This Agreement, the Annexures and recitals hereto (which are hereby expressly incorporated herein by reference) constitutes the entire understanding between the Parties and supersedes all other discussions and understanding between the Parties.

- 14.6. **No Partnership:** Nothing contained in this Agreement shall be construed or interpreted as constituting a partnership or a joint venture or employer-employee between the Parties. Neither Party shall have any authority to bind the other Party in any manner whatsoever. This Agreement shall be construed to have been entered on a principal-to-principal basis.

- 14.7. **Notices:** Except as may be otherwise provided herein, all notices, requests, waivers and other communications ("**Notices**") shall be deemed to be delivered as provided herein: (a) if delivered to the addressee ("**Receiving Party**") by hand: upon the Notice being acknowledged by written receipt by the Receiving Party; (b) if sent by facsimile: upon the receipt of transmission report confirming transmission; (c) if sent via an overnight courier: upon receipt (evidenced by proof of delivery). The Notices shall be addressed to the Parties at the contact details provided below. Each Party shall promptly inform the other of any change in contact details.

Address: 5th and 6th Floor Kaushal Bhawan,
Adjacent to Hotel Leela Palace,
New Moti Bagh, New Delhi-110023

Address:

14.8. **Severability:** The invalidity or unenforceability of any provision in this Agreement shall in no way affect the validity or enforceability of any other provision herein. In the event of the invalidity or unenforceability of any provision of this Agreement, the Parties will immediately negotiate in good faith to replace such a provision with another, which is not prohibited or unenforceable and has, as far as possible, the same legal and commercial effect as that which it replaces.

14.9. **Survival:** The provisions of Clauses and such other provisions of this Agreement, which are by their nature, intended to survive the termination of this Agreement, shall survive the termination of this Agreement.

14.10. **Waiver:** The failure of NSDC to enforce, in any one or more instances, performance of any of the terms, covenants or conditions of this Agreement shall not be construed as a waiver or a relinquishment of any right or claim granted or arising hereunder or of the future performance of any such term, covenant, or condition, and such failure shall in no way affect the validity of this Agreement or the rights of NSDC hereto. The Service Provider acknowledges that a waiver of any term or provision hereof by NSDC may only be given by a written instrument executed by NSDC in this regard.

IN WITNESS WHEREOF the Parties hereto have duly executed this Agreement as of the date and year hereinabove first written.

<p>For and on behalf of National Skill Development Corporation</p> <p>Sign: __ Name: Title:</p>	<p>For and on behalf of _____</p> <p>Sign: __ Name: Title:</p>
---	--

SCHEDULE I

LIST OF SERVICES PROVIDED BY THE SERVICE PROVIDER

SCHEDULE -II

PAYMENT TERMS

Schedule -III Fraudulent or Corrupt Practices
Section 6. NSDC Policy –Corrupt and Fraudulent Practices

It is imperative to ensure that all actions toward the award of the Contract and its implementation on the ground have to be fair, consistent, transparent, and based on the highest standard of ethics. Similarly, bidders/suppliers/contractors/consultants associated in the procurement of Goods, Works & Consultancy, are expected to observe the highest standard of ethics during procurement and execution of Contracts. In pursuance to above:

- a) Proposal for award may be rejected, if it determines that the Bidder, recommended for award, and/or its employees, sub-contractors, sub-consultant, sub- vendors, agents have engaged in corrupt or fraudulent practices in competing for the Contract in question;
- b) portion of the funds allocated to a Contract may be cancelled, in full or in part, if it is determined that corrupt or fraudulent practices were engaged by contractor/consultant and/or its employees, subcontractors/sub-consultants, sub-vendors, agents for getting the Contract or during the execution of a Contract;
- c) The Contractor may be declared as ineligible, either indefinitely or for a stated period of time, to be awarded a Contract, if it, at any time, determines that the firm has been engaged in corrupt or fraudulent practices in competing for or in executing the Contract. For the purpose of above provision, the terms, '**Corrupt Practice**' and '**Fraudulent Practice**', mean following:
"**Corrupt Practice**" means offering, giving, receiving, or soliciting anything of value to influence the action of NSDC's official(s) in the procurement process or in the contract execution; and "**Fraudulent Practice**" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract and includes collusive practices among bidders (prior to or after bid submission) designed to establish bid/proposal prices at artificial, non- competitive level.